

Employee Officer Daily Monthly

PIO Briefing Search

Reset

Call Date	Use Watch Dt?	Unit	Inc No	Rows
07/15/2017	<input type="checkbox"/>	HT48		50

Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address	
171963387	17082574	07/15/17 19:09	BOX	FULL BOX	1137 MASON CT, TI	Create

1 - 1

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE					17082574	0	V00	48	2931	District 03
38005	CA										
INCIDENT DATE	ALARM TIME	ARRIVAL TIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO			
07/15/2017	07/15/17 19:12	07/15/17 19:15	07/15/17 19:47		Riba Douglas		N None				
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS			
1 Street address		1137 MASON CT, TI					94130	1			
INCIDENT TYPE			ACTIONS TAKEN								
113 Cooking fire, confined to container			86 Investigate								
RESOURCES			ESTIMATED LOSSES AND VALUES				CASUALTIES				
	APPARATUS	PERSONNEL	LOSSES	PROPERTY			DEATHS	INJURIES			
SUPPRESSION	11	41		CONTENTS	10		0	0			
EMS	2	4	VALUE	PROPERTY		FIRE SERVICE	0	0			
OTHER	1	2		CONTENTS		CIVILIAN	0	0			
MIXED USE PROPERTY		PROPERTY USE			DETECTOR		HAZARDOUS MATERIALS RELEASE				
		429 Multifamily dwelling			1 Detector alerted occupants						
2-FIRE											
PROPERTY DETAILS				ON-SITE MATERIALS				STORAGE USE			
# RESIDENTIAL UNITS	NOT RESIDENTIAL?			NA							
# BUILDING INVOLVE	NO BLD INVOLVED?			NA							
# ACRES BURNED	LESS THAN ONE?			NA							
AREA OF ORIGIN		HEAT SOURCE		ITEM FIRST IGNITED		TYPE OF MATERIAL FIRST IGNITED					
CAUSE OF IGNITION		FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION					
AGE	IF EQUIPMENT	TYPE		MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER			
SEX	INVOLVED IN IGNITION										
FIRE SUPPRESSION FACTORS		EQUIPMENT PORTABILITY		MOBILE PROPERTY TYPE		MOBILE PROPERTY MAKE					
		MOBILE PROPERTY INVOLVED		MODEL	YEAR	LICENSE PLATE NO	STATE	VIN			
3-STRUCTURE FIRE											
STRUCTURE TYPE	BUILDING STATUS			STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD	
										NO	
FIRE DAMAGE	STORIES DAMAGED BY FLAME				NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE			
	MINOR	SIGNIF.	HEAVY	EXTR.	NA						
DETECTOR PRESENCE	TYPE	POWER SUPPLY	OPERATION		EFFECTIVENESS		FAILURE REASON				
AES PRESENCE	AES TYPE		AES OPERATION		AES FAILURE		#SPRINK. HEADS				
1S - NARRATIVE											
Riba Douglas							07/18/17 00:00				
Riba, Douglas Jul 18 2017 10:00AM:burnt food											

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: Riba Douglas

Co.: Date Printed: 04/02/2022 Incident No: 17082574 Exp:0 Version: V00

TRIAL EXHIBIT 80-2

394

Officer

MU3162

Portal

Change Password

Help

Feedback

Logout

SFFD Production

Employee

Officer

Daily

Monthly

PIO Briefing Search

Reset

Search

Call Date

06/21/2018



Use

Watch
Dt?

Unit

HT48



Inc No

Rows

50

Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address	
181722248	18072899	06/21/18 15:05	67B1	SM OUTSIDE FIRE	2 AVENUE OF THE PALMS, TI	Create

1 - 1

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE					18072899	0	V00	48	2931	District 03
38005	CA										
INCIDENT DATE	ALARM TIME	ARRIVAL TIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER			MUTUAL AID	MULTI-AGENCY INC. NO		
06/21/2018	06/21/18 15:07	06/21/18 15:12	06/21/18 15:22		Cullinane Bridget H			N None			
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE		ALARMS		
1 Street address		2 AVENUE OF THE PALMS					94130		1		
INCIDENT TYPE				ACTIONS TAKEN							
531 Smoke or odor removal				86 Investigate							
RESOURCES			ESTIMATED LOSSES AND VALUES				CASUALTIES				
	APPARATUS	PERSONNEL	LOSSES	PROPERTY			DEATHS		INJURIES		
SUPPRESSION	2	8		CONTENTS			FIRE SERVICE		0		
EMS	0	0	VALUE	PROPERTY			CIVILIAN		0		
OTHER	0	0		CONTENTS							
MIXED USE PROPERTY		PROPERTY USE			DETECTOR			HAZARDOUS MATERIALS RELEASE			
		400 Residential, other									
2-FIRE											
PROPERTY DETAILS				ON-SITE MATERIALS				STORAGE USE			
# RESIDENTIAL UNITS	NOT RESIDENTIAL?			NA							
# BUILDING INVOLVE	NO BLD INVOLVED?			NA							
# ACRES BURNED	LESS THAN ONE?			NA							
AREA OF ORIGIN		HEAT SOURCE		ITEM FIRST IGNITED			TYPE OF MATERIAL FIRST IGNITED				
CAUSE OF IGNITION				FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION			
AGE	IF EQUIPMENT INVOLVED IN IGNITION		TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER			
SEX											
FIRE SUPPRESSION FACTORS			EQUIPMENT PORTABILITY			MOBILE PROPERTY TYPE			MOBILE PROPERTY MAKE		
			MOBILE PROPERTY INVOLVED			MODEL	YEAR	LICENSE PLATE NO	STATE	VIN	
3-STRUCTURE FIRE											
STRUCTURE TYPE		BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD	
										NO	
FIRE DAMAGE		STORIES DAMAGED BY FLAME			NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE			
		MINOR	SIGNIF.	HEAVY	EXTR.	NA					
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION		EFFECTIVENESS			FAILURE REASON		
AES PRESENCE		AES TYPE	AES OPERATION		AES FAILURE			#SPRINK. HEADS			
1S - NARRATIVE											
										Cullinane Bridget H	07/20/18 00:00
Cullinane, Bridget H Jul 20 2018 10:34PM:E-48 was dispatched to small outside fire. This was burned food put outside to cool off.											

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: Cullinane Bridget H Co.: Date Printed: 03/17/2022 Incident No: 18072899 Exp:0 Version: V00

TRIAL EXHIBIT 81-2

396

Employee ▾ | Officer ▾ | Daily ▾ | Monthly ▾

PIO Briefing Search

Reset Search

Call Date: 11/28/2021  Use Watch Dt?
Unit: HT48  Inc No: Rows: 50

Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address	
213320090	21146178	11/28/21 00:26	VF	VEHICLE FIRE	700 80 WB BAY BR Z TI	Create

1 - 1

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT	
FDID	STATE					21146178	0	V00	48	2951	District 03	
38005	CA											
INCIDENT DATE	ALARM TIME	ARRIVAL TIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER			MUTUAL AID	MULTI-AGENCY INC. NO			
11/28/2021	11/28/21 00:26	11/28/21 00:37	11/28/21 00:55		Krishpinovich Nikolai			N None				
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE		ALARMS			
1 Street address		700 80 WB BAY BR Z TI					94103		1			
INCIDENT TYPE				ACTIONS TAKEN								
131 Passenger vehicle fire				11 Extinguishment by fire service person								
RESOURCES			ESTIMATED LOSSES AND VALUES				CASUALTIES					
	APPARATUS	PERSONNEL	LOSSES	PROPERTY			DEATHS	INJURIES				
SUPPRESSION	3	13		CONTENTS			FIRE SERVICE	0				
EMS	0	0	VALUE	PROPERTY			CIVILIAN	0				
OTHER	0	0		CONTENTS								
MIXED USE PROPERTY		PROPERTY USE			DETECTOR			HAZARDOUS MATERIALS RELEASE				
		921 Bridge, trestle										
2-FIRE												
PROPERTY DETAILS				ON-SITE MATERIALS				STORAGE USE				
# RESIDENTIAL UNITS	NOT RESIDENTIAL?			NO								
# BUILDING INVOLVE	NO BLD INVOLVED?			NO								
# ACRES BURNED	LESS THAN ONE?			NO								
AREA OF ORIGIN		HEAT SOURCE		ITEM FIRST IGNITED			TYPE OF MATERIAL FIRST IGNITED					
82 Cargo/trunk area all vehicles		000 Rechargeable Batteries		UU Undetermined								
CAUSE OF IGNITION		FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION						
3 Failure of equipment or heat source		30 Electrical failure, malfunction, other				N None						
AGE	IF EQUIPMENT		TYPE		MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER			
SEX	INVOLVED IN IGNITION											
FIRE SUPPRESSION FACTORS		EQUIPMENT PORTABILITY			MOBILE PROPERTY TYPE			MOBILE PROPERTY MAKE				
MOBILE PROPERTY INVOLVED				MODEL	YEAR	LICENSE PLATE NO	STATE	VIN				
1 Not involved in ignition, but burned												
3-STRUCTURE FIRE												
STRUCTURE TYPE		BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD		
										NA		
FIRE DAMAGE		STORIES DAMAGED BY FLAME			NO SPREAD?	CONTRIB ITEM			CONTRIB TYPE			
		MINOR	SIGNIF.	HEAVY	EXTR.	NA						
DETECTOR PRESENCE		TYPE		POWER SUPPLY	OPERATION	EFFECTIVENESS			FAILURE REASON			
AES PRESENCE		AES TYPE		AES OPERATION		AES FAILURE			#SPRINK. HEADS			
1S - NARRATIVE												
										Krishpinovich Nikolai	12/04/21 12:04	
Krishpinovich, Nikolai Dec 04 2021 11:48AM:E48 dispatched to a vehicle fire on the upper span of the bay bridge. Upon arrival a compact Toyota passenger car was found to be on fire. E48 with the assistance of T48 and hose tender 48 extinguished the fire. The fire originated in the trunk of the car. upon opening the truck and overhauling the space a mobile blue tooth speaker was found. It looked as though it overheated and was the source of ignition. The scene was handed over to CHP and tow trucks upon their arrival.												

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: Krishpinovich Nikolai

Co.: Date Printed: 03/21/2022 Incident No: 21146178 Exp:n Version: V00

TRIAL EXHIBIT 82-2

398