

To: Civil Service Commission

From: Firefighter Larry Jacobs

Date: May 10, 2022

At the Hearing, based on my personal knowledge, I will testify to the following:

1. I have included marked exhibits 70-82 (from my trial), which show approximately 87 fires that I responded to that the San Francisco Fire Department (SFFD) does not list in their exhibit (Attachment C of David Johnson's memo to the Civil Service Commission) Employee Fire History for Larry Jacobs. The documents show that I responded to well over 100 fires. I have also included as **Attachment A** (excerpted from trial exhibits 71-82) documents that reflect 17 fires that I will testify to in detail. In all of these 17 fires, the record shows that my engine responded to the fires and I was working on that day. None of these fires were listed in the SFFD fire history for me. I have also included as **Attachment B**, SFDEM Training Bulletin TB21-0141. I have also included as **Attachment C**, a declaration by Michael Castagnola.
2. In the job announcement for Arson Investigator, it only states that to be on the eligibility list, a firefighter has to have **responded** to 100 fires. (Attachment E of David Johnson's memo.) I responded to all fires listed in exhibits 71-82. During her testimony at my trial last month, Chief Jeanine Nicholson testified that the SFFD did not have any documents stating what would qualify as a fire prior to February 4, 2022.
3. Director Johnson states that the documents I submitted to the SFFD in 2008 to verify the 100 fires are no longer available. To the best of my knowledge, they were destroyed by the SFFD. However, he goes on to state that the documents would have been accepted by clerical staff and reviewed by an analyst to verify the count was 100 fires. Therefore in 2008 they accepted that I had 100 fires.
4. Director Johnson states that I cannot count food fires that were extinguished before my unit arrived. However, the National Fire Incident Reporting System does not list if the burnt food was extinguished before our unit arrived. As I will testify in relation to the 17 fires discussed above, the burnt food was not extinguished before my unit responded. Therefore, these fires should be included.
5. Nowhere on the National Fire Incident Reporting System does it state that a fire to which I responded was canceled. The SFFD did not provide any documentation that any of the fires that I responded to and that are listed in Attachment A (and in trial exhibits 71-82) were canceled.

Therefore, it is clear that I met the criteria of having responded to 100 valid fires when I submitted my application to be placed on the eligibility list for Arson Investigators.

Officer

MU3162 Portal Change Password Help Feedback Logout SFFD Production

Employee Officer Daily Monthly

PIO Briefing Search

Reset Search

Call Date: 05/28/2006  Use Watch Dt?

Unit: E38  Inc No:  Rows: 50

Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address	
061480400	06041234	05/28/06 21:51	67B1	SM OUTSIDE FIRE	BUCHANAN ST/POST ST	Create
061480327	06041191	05/28/06 18:29	52C2	HI RISE ALARM	1661 PINE ST	Create
061480292	06041173	05/28/06 17:13	52C3U	COMMERC BLG ALRM	1121 LEAVENWORTH ST	Create
061480144	06041075	05/28/06 11:19	52B2	SNGL RES ALARM	2206 STEINER ST	Create
061480120	06041056	05/28/06 10:12	52B2	SNGL RES ALARM	2206 STEINER ST	Create
061480112	<b>06041055</b>	05/28/06 09:55	SIB	SMOKEIN BUILDING	1241 BUSH ST	Create

1 - 6

# Attachment A

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE					06041234	0	V01	38		District 04
38005	CA										
INCIDENT DATE	ALARM TIME	ARRIVALTIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO			
05/28/2006	05/28/06 21:53	05/28/06 21:56	05/28/06 22:00	E38	ZACZEK,CHRISTOPHER		None				
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS			
5 - Adjacent to		Buchanan St. / Post St.				-	94117	1			
INCIDENT TYPE				ACTIONS TAKEN							
651 - Smoke scare, odor of smoke				86 - Investigate							
RESOURCES			ESTIMATED LOSSES AND VALUES			CASUALTIES					
	APPARATUS	PERSONNEL	LOSSES	PROPERTY	0		DEATHS	INJURIES			
SUPPRESSION	1	4		CONTENTS	0	FIRE SERVICE	0	0			
EMS	0	0	VALUE	PROPERTY	0	CIVILIAN	0	0			
OTHER	0	0		CONTENTS	0						
MIXED USE PROPERTY		PROPERTY USE			DETECTOR			HAZARDOUS MATERIALS RELEASE			
		960 - Street, other									
2-FIRE											
PROPERTY DETAILS						ON-SITE MATERIALS			STORAGE USE		
# RESIDENTIAL UNITS		NOT RESIDENTIAL?									
# BUILDING INVOLVE		NO BLD INVOLVED?									
# ACRES BURNED		LESS THAN ONE?									
AREA OF ORIGIN			HEAT SOURCE			ITEM FIRST IGNITED			TYPE OF MATERIAL FIRST IGNITED		
CAUSE OF IGNITION			FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION				
AGE	IF EQUIPMENT INVOLVED IN IGNITION	TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER				
SEX											
FIRE SUPPRESSION FACTORS			EQUIPMENT PORTABILITY			MOBILE PROPERTY TYPE			MOBILE PROPERTY MAKE		
			MOBILE PROPERTY INVOLVED			MODEL	YEAR	LICENSE PLATE NO	STATE	VIN	
3-STRUCTURE FIRE											
STRUCTURE TYPE		BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD	
FIRE DAMAGE		STORIES DAMAGED BY FLAME			NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE			
		MINOR	SIGNIF.	HEAVY	EXTR.						
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION	EFFECTIVENESS			FAILURE REASON			
AES PRESENCE		AES TYPE	AES OPERATION		AES FAILURE			#SPRINK. HEADS			
1S - NARRATIVE											
								ZACZEK,CHRISTOPHER		05/28/06 22:05	
unextinguished cigarette in garbage can..use 2 gal h2o to wet surrounding material and extinguish cigarette											

# Attachment A

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: ZACZEK,CHRISTOPHER Co.: E38 Date Printed: 03/17/2022 Incident No: 06041234 Exp:0 Version: V01

## TRIAL EXHIBIT 71.D-2

Officer

MU3162 Portal Change Password Help Feedback Logout

Employee Officer Daily Monthly

PIO Briefing Search

Reset Search

Call Date: 08/04/2006 Use Watch Dt? Unit: E38 Inc No: Rows: 50

Incidents

Table with 7 columns: Call No, Inc No, Rx DtTm, Call Type, Call Descr, Address, and a 'Create' link. Contains 8 rows of incident data.

1 - 8

Attachment A



1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT	
FDID	STATE					06060687	0	V01	44		District 10	
38005	CA											
INCIDENT DATE	ALARM TIME	ARRIVAL TIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER			MUTUAL AID	MULTI-AGENCY INC. NO			
08/04/2006	08/04/06 13:52	08/04/06 13:55	08/04/06 16:33	E44	MOY,LISA M			None				
LOCATION TYPE		INCIDENT ADDRESS / LOCATION					APARTMENT	ZIP CODE	ALARMS			
1 - Street address		Ervine St. / Wilde Av.						94124	1			
INCIDENT TYPE				ACTIONS TAKEN								
142 - Brush, or brush and grass mixture fire				11 - Extinguish				86 - Investigate				
RESOURCES			ESTIMATED LOSSES AND VALUES				CASUALTIES					
	APPARATUS	PERSONNEL	LOSSES	PROPERTY			DEATHS		INJURIES			
SUPPRESSION	11	34		CONTENTS	0		FIRE SERVICE		0			
EMS	0	0	VALUE	PROPERTY	0		CIVILIAN		0			
OTHER	0	0		CONTENTS	0							
MIXED USE PROPERTY		PROPERTY USE			DETECTOR			HAZARDOUS MATERIALS RELEASE				
		931 - Open land or field										
2-FIRE												
PROPERTY DETAILS				ON-SITE MATERIALS				STORAGE USE				
# RESIDENTIAL UNITS	NOT RESIDENTIAL?											
# BUILDING INVOLVE	0	NO BLD INVOLVED?										
# ACRES BURNED	5	LESS THAN ONE?			N							
AREA OF ORIGIN		HEAT SOURCE		ITEM FIRST IGNITED		TYPE OF MATERIAL FIRST IGNITED						
97 - Multiple areas		54 - Fireworks		72 - Light vegetation - no crops, inc. gra								
CAUSE OF IGNITION		FACTORS CONTRIBUTING IGNITION					HUMAN FACTORS FOR IGNITION					
1 - Intentional							N - None					
AGE	0	IF EQUIPMENT INVOLVED IN IGNITION		TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER			
SEX	-											
FIRE SUPPRESSION FACTORS			EQUIPMENT PORTABILITY			MOBILE PROPERTY TYPE			MOBILE PROPERTY MAKE			
MOBILE PROPERTY INVOLVED			MODEL	YEAR	LICENSE PLATE NO	STATE	VIN					
3-STRUCTURE FIRE												
STRUCTURE TYPE	BUILDING STATUS			STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD		
FIRE DAMAGE		STORIES DAMAGED BY FLAME				NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE			
		MINOR	SIGNIF.	HEAVY	EXTR.							
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION		EFFECTIVENESS			FAILURE REASON			
AES PRESENCE		AES TYPE	AES OPERATION			AES FAILURE			#SPRINK. HEADS			
1S - NARRATIVE												
								MOY,LISA M		10/13/06 08:53		
Large grass fire most probably started by juveniles with fireworks.												

# Attachment A

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: MOY,LISA M

Co.: AR1 Date Printed: 03/15/2022 Incident No: 06060687 Exp:0 Version: V01

## TRIAL EXHIBIT 71.J-2

Officer

MU3162

Portal

Change Password

Help

Feedback

Logout

SFFD Production

Employee

Officer

Daily

Monthly

PIO Briefing Search

Reset Search

Call Date: 12/17/2006 
 Use Watch Dt? 
 Unit: T10 
 Inc No: 
 Rows: 50

Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address	
063510351	06099297	12/17/06 21:06	SIB	SMOKEIN BUILDING	441 9TH AV	Create
063510317	06099272	12/17/06 18:31	26D1	NOT ALERT	40 WOOD ST	Create
063510176	06099179	12/17/06 11:49	SIB	SMOKEIN BUILDING	3443 CABRILLO ST	Create
063510086	06099126	12/17/06 07:31	53C1	H20 LK W ELEC HZ	6000 CALIFORNIA ST	Create
063510014	<b>06099065</b>	12/17/06 00:50	69D4	FIB-APARTMENT	409 10TH AV	Create

1 - 5

# Attachment A

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE					06099065	0	V01	31		District 07
38005	CA										
INCIDENT DATE	ALARM TIME	ARRIVAL TIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER			MUTUAL AID	MULTI-AGENCY INC. NO		
12/17/2006	12/17/06 00:52	12/17/06 00:54	12/17/06 01:27	E31	ARCE,EDWARD J			None			
LOCATION TYPE		INCIDENT ADDRESS / LOCATION					APARTMENT	ZIP CODE	ALARMS		
1 - Street address		409 10th Av.					-	94118	1		
INCIDENT TYPE				ACTIONS TAKEN							
251 - Excess heat, scorch burns with no ign.				45 - Remove hazard							
RESOURCES			ESTIMATED LOSSES AND VALUES				CASUALTIES				
	APPARATUS	PERSONNEL	LOSSES	PROPERTY				DEATHS	INJURIES		
SUPPRESSION	9	31		CONTENTS	0			FIRE SERVICE	0		
EMS	1	2	VALUE	PROPERTY	0			CIVILIAN	0		
OTHER	0	0		CONTENTS	0						
MIXED USE PROPERTY		PROPERTY USE			DETECTOR			HAZARDOUS MATERIALS RELEASE			
		962 - Residential street, road or residential dr									
2-FIRE											
PROPERTY DETAILS						ON-SITE MATERIALS			STORAGE USE		
# RESIDENTIAL UNITS		NOT RESIDENTIAL?									
# BUILDING INVOLVE		NO BLD INVOLVED?									
# ACRES BURNED		LESS THAN ONE?									
AREA OF ORIGIN			HEAT SOURCE			ITEM FIRST IGNITED			TYPE OF MATERIAL FIRST IGNITED		
CAUSE OF IGNITION			FACTORS CONTRIBUTING IGNITION					HUMAN FACTORS FOR IGNITION			
AGE	IF EQUIPMENT INVOLVED IN IGNITION	TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER				
SEX											
FIRE SUPPRESSION FACTORS			EQUIPMENT PORTABILITY			MOBILE PROPERTY TYPE			MOBILE PROPERTY MAKE		
			MOBILE PROPERTY INVOLVED			MODEL	YEAR	LICENSE PLATE NO	STATE	VIN	
3-STRUCTURE FIRE											
STRUCTURE TYPE		BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD	
FIRE DAMAGE		STORIES DAMAGED BY FLAME				NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE		
		MINOR	SIGNIF.	HEAVY	EXTR.						
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION		EFFECTIVENESS			FAILURE REASON		
AES PRESENCE		AES TYPE	AES OPERATION		AES FAILURE			#SPRINK. HEADS			
1S - NARRATIVE											
								ARCE,EDWARD J		12/17/06 07:05	
CALLED FOR SMOKE IN THE BUILDING.UPON ARRIVAL HOME OWNER PLACED CANDLE ON BEDDING.BURNING PART OF MATTRESS.REMOVED FROM BUILDING.											

# Attachment A

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: ARCE,EDWARD J

Co.: B07 Date Printed: 03/17/2022 Incident No: 06099065 Exp:n Version: V01

## TRIAL EXHIBIT 71.U-2

# 7

Officer

MU3162

Portal

Change Password

Help

Feedback

Logout

SFFD Production

Employee

Officer

Daily

Monthly

### PIO Briefing Search

Reset

Search

Call Date

03/03/2007



Use

Watch  
Dt?

Unit

T11



Inc No

Rows

50

### Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address	
070620182	07018026	03/03/07 12:17	FIB	FIRE IN BUILDING	208 DORLAND ST	Create
070620173	07018019	03/03/07 11:48	52C3	COMMERC BLG ALRM	1199 CHURCH ST	Create

1 - 2

# Attachment A

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT			INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE				07018026	0	V01	06		District 23
38005	CA									
INCIDENT DATE	ALARM TIME	ARRIVAL TIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO		
03/03/2007	03/03/07 12:17	03/03/07 12:22	03/03/07 12:50	E06	CRANE, CHARLES		None			
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS		
1 - Street address		208 Dorland St.				-	94114	1		
INCIDENT TYPE			ACTIONS TAKEN							
900 - Special type of incident, other			53 - Evacuate area							
RESOURCES		ESTIMATED LOSSES AND VALUES				CASUALTIES				
	APPARATUS	PERSONNEL	LOSSES	PROPERTY		DEATHS	INJURIES			
SUPPRESSION	9	30		CONTENTS		0	0			
EMS	2	3	VALUE	PROPERTY		0	0			
OTHER	0	0		CONTENTS						
MIXED USE PROPERTY		PROPERTY USE			DETECTOR		HAZARDOUS MATERIALS RELEASE			
		429 - Multifamily dwellings								
2-FIRE										
PROPERTY DETAILS				ON-SITE MATERIALS				STORAGE USE		
# RESIDENTIAL UNITS		NOT RESIDENTIAL?								
# BUILDING INVOLVE		NO BLD INVOLVED?								
# ACRES BURNED		LESS THAN ONE?								
AREA OF ORIGIN			HEAT SOURCE			ITEM FIRST IGNITED		TYPE OF MATERIAL FIRST IGNITED		
CAUSE OF IGNITION			FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION			
AGE	IF EQUIPMENT INVOLVED IN IGNITION		TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER		
SEX										
FIRE SUPPRESSION FACTORS			EQUIPMENT PORTABILITY		MOBILE PROPERTY TYPE			MOBILE PROPERTY MAKE		
			MOBILE PROPERTY INVOLVED		MODEL	YEAR	LICENSE PLATE NO	STATE	VIN	
3-STRUCTURE FIRE										
STRUCTURE TYPE		BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD
FIRE DAMAGE		STORIES DAMAGED BY FLAME			NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE		
		MINOR	SIGNIF.	HEAVY	EXTR.					
DETECTOR PRESENCE		TYPE	POWER SUPPLY		OPERATION		EFFECTIVENESS		FAILURE REASON	
AES PRESENCE		AES TYPE		AES OPERATION		AES FAILURE		#SPRINK. HEADS		
1S - NARRATIVE						CRANE, CHARLES		03/03/07 23:55		
Initial call was for a fire in the building. E6 investigated and found a small extinguished fire in a dryer. T11 secured the the premises and removed the dryer.										

# Attachment A

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: CRANE, CHARLES

Co.: B06 Date Printed: 03/19/2022 Incident No: 07018026 Exp:0 Version: V01

## TRIAL EXHIBIT 72.E-2

Officer

MU3162

Portal

Change Password

Help

Feedback

Logout

SFPD Production

Employee | Officer | Daily | Monthly

PIO Briefing Search

Reset Search

<b>Call Date</b>	<b>Use</b>	<b>Unit</b>	<b>Inc No</b>	<b>Rows</b>
03/06/2007	Watch Dt?	T11		50

Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address	
070650127	07018943	03/06/07 09:16	SIB	SMOKEIN BUILDING	206 FAIRMOUNT ST	Create

1 - 1

# Attachment A

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT			INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT	
FDID	STATE				07018943	0	V01	26		District 06	
38005	CA										
INCIDENT DATE	ALARM TIME	ARRIVAL TIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO			
03/06/2007	03/06/07 09:16	03/06/07 09:23	03/06/07 10:10	E11	WILLIAMS,RAEMONA E		Norie	-			
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS			
1 - Street address		206 Fairmount St.				-	94131	1			
INCIDENT TYPE			ACTIONS TAKEN								
111 - Building fire			11 - Extinguish		12 - Salvage & overhaul			51 - Ventilate			
RESOURCES			ESTIMATED LOSSES AND VALUES			CASUALTIES					
	APPARATUS	PERSONNEL	LOSSES	PROPERTY	25,000		DEATHS	INJURIES			
SUPPRESSION	3	10		CONTENTS	10,000	FIRE SERVICE	0	0			
EMS	0	0	VALUE	PROPERTY	2,000,000	CIVILIAN	0	0			
OTHER	0	0		CONTENTS	30,000						
MIXED USE PROPERTY		PROPERTY USE		DETECTOR			HAZARDOUS MATERIALS RELEASE				
		419 - 1 or 2 family dwelling									
2-FIRE											
PROPERTY DETAILS				ON-SITE MATERIALS				STORAGE USE			
# RESIDENTIAL UNITS		NOT RESIDENTIAL?	N								
# BUILDING INVOLVE	0	NO BLD INVOLVED?	-								
# ACRES BURNED	0	LESS THAN ONE?	-								
AREA OF ORIGIN		HEAT SOURCE		ITEM FIRST IGNITED		TYPE OF MATERIAL FIRST IGNITED					
24 - Cooking area, kitchen		10 - Heat from powered equipment, other		81 - Electrical wire, cable insulation							
CAUSE OF IGNITION			FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION				
3 - Failure of equipment or heat source			33 - Short cir. arc, defect/worn insulatio				N - None				
AGE	0	IF EQUIPMENT	TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER			
SEX	-	INVOLVED IN IGNITION	-	-	-	-	-	-			
FIRE SUPPRESSION FACTORS			EQUIPMENT PORTABILITY		MOBILE PROPERTY TYPE		MOBILE PROPERTY MAKE				
MOBILE PROPERTY INVOLVED				MODEL	YEAR	LICENSE PLATE NO	STATE	VIN			
3-STRUCTURE FIRE											
STRUCTURE TYPE	BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD		
1 - Enclosed building	5 - Vacant and secured		3	00	25000	0	0	3	N		
FIRE DAMAGE	STORIES DAMAGED BY FLAME			NO SPREAD?	CONTRIB ITEM	CONTRIB TYPE					
2 - Confined to room of origin	MINOR	1	SIGNIF.	0	HEAVY	0	EXTR.	0	2	25 - Appliance housing or casing	00 - Type of material first ignited, other
DETECTOR PRESENCE	TYPE	POWER SUPPLY	OPERATION		EFFECTIVENESS		FAILURE REASON				
U - Undetermined	-	-	-		-		-				
AES PRESENCE	AES TYPE		AES OPERATION		AES FAILURE		#SPRINK. HEADS				
N - None Present	-		-		-		0				
1S - NARRATIVE											
						WILLIAMS,RAEMONA E		03/06/07 12:14			
Upon arrival found smoke showing from top (3rd) floor of residence. Upon entry found dishwasher on fire. Extinguished fire and checked for fire extension in walls behind appliance. Owner/occupant arrived on scene while FD onscene.											

# Attachment A

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: WILLIAMS,RAEMONA E

Co.: B06 Date Printed: 03/19/2022 Incident No: 07018943 Exp:n Version: V01

TRIAL EXHIBIT 72.F-2

Officer

MU3162

Portal

Change Password

Help

Feedback

Logout

SFFD Production

Employee

Officer

Daily

Monthly

### PIO Briefing Search

Reset

Search

Call Date

03/27/2007



Use Watch Dt?

Unit

T11



Inc No

Rows

50

### Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address	
070860275	07025075	03/27/07 18:27	BOX0	STREET BOX	EUGENIA AV/BOCANA ST	Create
070860196	07025018	03/27/07 14:24	60D2	NAT GAS LK O/S	1326 CHURCH ST	Create
070860179	<b>07025007</b>	03/27/07 13:31	71B1	VEHICLE FIRE	POWHATTAN AV/ELLSWORTH ST	Create

1 - 3

# Attachment A



1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE					07025007	0	V01	32		District 06
38005	CA										
INCIDENT DATE	ALARM TIME	ARRIVAL TIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO			
03/27/2007	03/27/07 13:31	03/27/07 13:34	03/27/07 14:10	E32	FORBES III, JOHN J		None				
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS			
3 - In front of		Powhattan Av. / Ellsworth St.				-	94110	1			
INCIDENT TYPE				ACTIONS TAKEN							
131 - Passenger vehicle fire				11 - Extinguish							
RESOURCES			ESTIMATED LOSSES AND VALUES			CASUALTIES					
	APPARATUS	PERSONNEL	LOSSES	PROPERTY	5,000		DEATHS	INJURIES			
SUPPRESSION	2	9		CONTENTS	500	FIRE SERVICE	0	0			
EMS	0	0	VALUE	PROPERTY	5,000	CIVILIAN	0	0			
OTHER	0	0		CONTENTS	500						
MIXED USE PROPERTY		PROPERTY USE		DETECTOR			HAZARDOUS MATERIALS RELEASE				
		960 - Street, other									
2-FIRE											
PROPERTY DETAILS					ON-SITE MATERIALS			STORAGE USE			
# RESIDENTIAL UNITS		NOT RESIDENTIAL?		-							
# BUILDING INVOLVE	0	NO BLD INVOLVED?		-							
# ACRES BURNED	0	LESS THAN ONE?		-							
AREA OF ORIGIN		HEAT SOURCE			ITEM FIRST IGNITED		TYPE OF MATERIAL FIRST IGNITED				
81 - Operator/passenger area/transport equ		13 - Arcing			21 - Upholstered sofa, chair, vehicle seat		71 - Fabric/fiber/cotton/blends/rayon/wool				
CAUSE OF IGNITION		FACTORS CONTRIBUTING IGNITION			HUMAN FACTORS FOR IGNITION						
2 - Unintentional		20 - Mechanical failure, malfunction, othe						N - None			
AGE	0	IF EQUIPMENT INVOLVED IN IGNITION		TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER		
SEX	-			-	-	-	-	-			
FIRE SUPPRESSION FACTORS		EQUIPMENT PORTABILITY			MOBILE PROPERTY TYPE		MOBILE PROPERTY MAKE				
					11 - Passenger car.		VO - Volkswagen				
		MOBILE PROPERTY INVOLVED			MODEL	YEAR	LICENSE PLATE NO	STATE	VIN		
		3 - Involved in ignition and burned			BEETLE	1965	ZJB099	CALIFO			
3-STRUCTURE FIRE											
STRUCTURE TYPE		BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD	
FIRE DAMAGE		STORIES DAMAGED BY FLAME			NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE			
		MINOR	SIGNIF.	HEAVY	EXTR.						
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION		EFFECTIVENESS		FAILURE REASON			
AES PRESENCE		AES TYPE		AES OPERATION		AES FAILURE		#SPRINK. HEADS			
1S - NARRATIVE											
								FORBES III, JOHN J		03/27/07 17:19	
This was an auto on fire. We extinguished it with 250 gallons of water with foam.											

# Attachment A

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.  
 Member Making Report: FORBES III, JOHN J      Co.: E32    Date Printed: 03/19/2022    Incident No: 07025007    Exp:0    Version: V01

TRIAL EXHIBIT 72.H-2

Officer

MU3162

Portal

Change Password

Help

Feedback

Logout

SFFD Production

Employee

Officer

Daily

Monthly

PIO Briefing Search

Reset

Search

Call Date

06/07/2007

Use

Watch  
Dt?

Unit

E11

Inc No

Rows

50

Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address	
071580381	07045336	06/07/07 23:08	53A4	HYD/WATER MAIN	FOLSOM ST/PRECITA AV	Create
071580377	07045333	06/07/07 22:59	BOX0	STREET BOX	26TH ST/MISSION ST	Create
071580365	07045323	06/07/07 21:55	53A3	ASSIST A CITIZEN	CESAR CHAVEZ ST/CHURCH ST	Create
071580296	07045265	06/07/07 17:37	13C1	DIABET PT UNCONC	229 VALLEY ST	Create
071580208	07045202	06/07/07 13:19	BOX0	STREET BOX	26TH ST/MISSION ST	Create
071580196	<b>07045193</b>	06/07/07 12:58	WF	WORKING FIRE	108 ADDISON ST	Create
071580129	07045153	06/07/07 09:58	31C2	SYNCOPE-CARDIAC	3422 26TH ST	Create
071580112	07045142	06/07/07 09:28	XR	CODE 2 ALS AMB	16TH ST/CHURCH ST	Create
071580021	07045091	06/07/07 03:06	WF	WORKING FIRE	1649 PALOU AV	Create

1 - 9

# Attachment A

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT	
FDID	STATE					07045193	0	V01	26		District 06	
38005	CA											
INCIDENT DATE	ALARM TIME	ARRIVALTIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER			MUTUAL AID	MULTI-AGENCY INC. NO			
06/07/2007	06/07/07 12:58	06/07/07 13:01	06/07/07 13:27	E26	KEARNEY,MICHAEL S			None				
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE		ALARMS			
1 - Street address		108 Addison St.				-	94131		1			
INCIDENT TYPE				ACTIONS TAKEN								
111 - Building fire				11 - Extinguish								
RESOURCES			ESTIMATED LOSSES AND VALUES				CASUALTIES					
	APPARATUS	PERSONNEL	LOSSES	PROPERTY	1,200		DEATHS		INJURIES			
SUPPRESSION	10	33		CONTENTS	100		FIRE SERVICE	0		0		
EMS	1	2	VALUE	PROPERTY	800,000		CIVILIAN	0		0		
OTHER	0	0		CONTENTS	20,000							
MIXED USE PROPERTY		PROPERTY USE			DETECTOR			HAZARDOUS MATERIALS RELEASE				
		419 - 1 or 2 family dwelling										
2-FIRE												
PROPERTY DETAILS				ON-SITE MATERIALS				STORAGE USE				
# RESIDENTIAL UNITS	NOT RESIDENTIAL?			-				-				
# BUILDING INVOLVED?	NO BLD INVOLVED?			-				-				
# ACRES BURNED	LESS THAN ONE?			-				-				
AREA OF ORIGIN			HEAT SOURCE			ITEM FIRST IGNITED			TYPE OF MATERIAL FIRST IGNITED			
72 - Exterior balcony, unenclosed porch			40 - Hot or smoldering object, other			10 - Structural component or finish, other			60 - Wood or paper, processed, other			
CAUSE OF IGNITION			FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION					
2 - Unintentional			12 - Heat source too close to combustibles				3 - Unattended or unsupervised person					
AGE	0	IF EQUIPMENT		TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER			
SEX	-	INVOLVED IN IGNITION		-	-	-	-	-	-			
FIRE SUPPRESSION FACTORS			EQUIPMENT PORTABILITY			MOBILE PROPERTY TYPE			MOBILE PROPERTY MAKE			
-			-			-			-			
-			MOBILE PROPERTY INVOLVED			MODEL	YEAR	LICENSE PLATE NO	STATE	VIN		
-			-			-	-	-	-	-		
3-STRUCTURE FIRE												
STRUCTURE TYPE		BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD		
5 - Tent		-		0	00	0	0	0	0	0		
FIRE DAMAGE		STORIES DAMAGED BY FLAME				NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE			
-		MINOR	0	SIGNIF.	0	HEAVY	0	EXTR.	0			
DETECTOR PRESENCE		TYPE	POWER SUPPLY		OPERATION		EFFECTIVENESS		FAILURE REASON			
-		-	-		-		-		-			
AES PRESENCE		AES TYPE		AES OPERATION		AES FAILURE		#SPRINK. HEADS				
-		-		-		-		0				
1S - NARRATIVE										KEARNEY,MICHAEL S		06/07/07 14:55
Balcony fire started by unattended cigarette in a plastic container												

# Attachment A

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: KEARNEY,MICHAEL S

Co.: B06 Date Printed: 03/19/2022 Incident No: 07045193 Exp:0 Version: V01

TRIAL EXHIBIT 72.I-2

Officer

MU3162

Portal

Change Password

Help

Feedback

Logout

SFFD Production

Employee

Officer

Daily

Monthly

### PIO Briefing Search

Reset

Search

Call Date	Use Watch Dt?	Unit	Inc No	Rows
09/29/2007	<input type="checkbox"/>	T11		50

### Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address	
072720452	07078226	09/29/07 21:58	BOX0	STREET BOX	MISSION ST/29TH ST	Create
072720429	07078205	09/29/07 20:47	BOX0	STREET BOX	30TH ST/SAN JOSE AV	Create
072720348	07078144	09/29/07 17:52	VF	VEHICLE FIRE	DIAMOND HEIGHTS BL/CLIPPER ST	Create
072720347	<b>07078143</b>	09/29/07 17:50	67D2	LG OUTSIDE FIRE	75 CHRISTMAS TREE POINT RD	Create
072720321	07078121	09/29/07 17:09	53C1	H2O LK W ELEC HZ	140 APPLETON AV	Create
072720207	07078025	09/29/07 12:50	53A1	VEH LOCK IN/OUT	25TH ST/CASTRO ST	Create

1 - 6

# Attachment A

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT			INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT	
FDID	STATE				07078143	0	V01	20		District 53	
38005	CA										
INCIDENT DATE	ALARM TIME	ARRIVAL TIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO			
09/29/2007	09/29/07 17:50	09/29/07 17:57	09/29/07 19:07	T06	KEARNEY, MICHAEL S		None				
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS			
1 - Street address		75 Christmas Tree Point Rd.				-	94131	1			
INCIDENT TYPE		ACTIONS TAKEN									
143 - Grass fire		11 - Extinguish									
RESOURCES				ESTIMATED LOSSES AND VALUES				CASUALTIES			
	APPARATUS	PERSONNEL	LOSSES	PROPERTY			DEATHS	INJURIES			
SUPPRESSION	6	22		CONTENTS			FIRE SERVICE	0			
EMS	0	0	VALUE	PROPERTY			CIVILIAN	0			
OTHER	0	0		CONTENTS							
MIXED USE PROPERTY		PROPERTY USE		DETECTOR			HAZARDOUS MATERIALS RELEASE				
		931 - Open land or field									
2-FIRE											
PROPERTY DETAILS				ON-SITE MATERIALS				STORAGE USE			
# RESIDENTIAL UNITS			NOT RESIDENTIAL?								
# BUILDING INVOLVE	0		NO BLD INVOLVED?								
# ACRES BURNED	1		LESS THAN ONE?	N							
AREA OF ORIGIN		HEAT SOURCE		ITEM FIRST IGNITED			TYPE OF MATERIAL FIRST IGNITED				
94 - Open area - outside; inc. are farmian		61 - Cigarette		72 - Light vegetation - no crops, inc. gra							
CAUSE OF IGNITION		FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION					
2 - Unintentional		73 - Outside/open fire, debris/waste dispo		12 - Heat source too close to combustibles		3 - Unattended or unsupervised person					
AGE	0	IF EQUIPMENT		TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER		
SEX	-	INVOLVED IN IGNITION		-	-	-	-	-	-		
FIRE SUPPRESSION FACTORS		EQUIPMENT PORTABILITY		MOBILE PROPERTY TYPE			MOBILE PROPERTY MAKE				
		MOBILE PROPERTY INVOLVED		MODEL	YEAR	LICENSE PLATE NO	STATE	VIN			
3-STRUCTURE FIRE											
STRUCTURE TYPE	BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGN	BELOW GRAD		
FIRE DAMAGE		STORIES DAMAGED BY FLAME			NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE			
		MINOR	SIGNIF.	HEAVY	EXTR.						
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION		EFFECTIVENESS		FAILURE REASON			
AES PRESENCE		AES TYPE	AES OPERATION		AES FAILURE		#SPRINK. HEADS				
1S - NARRATIVE											
Grass fire below twin peaks blvd.							KEARNEY, MICHAEL S		09/29/07 21:47		

# Attachment A

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Co: ROR Date Printed: 03/19/2022 Incident No: 07078143 Exp:0 Version: V01

## TRIAL EXHIBIT 72.P-2

# 17

Officer

Employee v Officer v Daily v Monthly v

PIO Briefing Search

Reset Search

Call Date: 04/21/2008  Use Watch:  Dt?:  Unit: M38  Inc No:  Rows: 50

Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address
081120383	08034577	04/21/08 20:47	31C4	SYNCOPE	1546 MARKET ST Create
081120324	08034534	04/21/08 17:42	17D1	FALL W/TRAUMA	TURK ST/WEBSTER ST Create
081120302	<b>08034520</b>	04/21/08 16:53	WF	WORKING FIRE	450 THE EMBARCADERO NOR Create
081120273	08034496	04/21/08 15:38	XR	CODE 2 ALS AMB	75 6TH ST Create
081120176	08034426	04/21/08 11:17	28C4U	STROKE-NUMBNS	2238 GEARY BL Create
081120121	08034389	04/21/08 09:38	31D1	UNCONSCIOUS	505 4TH AV Create
081120078	08034366	04/21/08 07:38	9B1	OBVIOUS DOA	132 COOK ST Create
081120077	08034365	04/21/08 07:27	26C1	EVAL-CARDIAC PT	2084 MISSION ST Create
081120061	08034353	04/21/08 06:24	26C1	EVAL-CARDIAC PT	1267 FILBERT ST Create
081120057	08034350	04/21/08 05:44	FIB	FIRE IN BUILDING	9TH ST/MISSION ST Create
081120039	08034336	04/21/08 03:45	4D2	TRAUMA: AMS	BEALE ST/HARRISON ST Create
081120031	08034329	04/21/08 03:24	SIB	SMOKEIN BUILDING	2729 LOMBARD ST Create

# Attachment A

1 - 12

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE					08034520	0	V01	13		District 01
38005	CA										
INCIDENT DATE	ALARM TIME	ARRIVAL TIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER			MUTUAL AID	MULTI-AGENCY INC. NO		
04/21/2008	04/21/08 16:53	04/21/08 16:58	04/21/08 17:46	E13	WOO,ARNOLD P			None			
LOCATION TYPE		INCIDENT ADDRESS / LOCATION					APARTMENT	ZIP CODE	ALARMS		
1 - Street address		450 The Embarcadero Nor					-	94111	1		
INCIDENT TYPE				ACTIONS TAKEN							
160 - Special outside fire, other				11 - Extinguish				51 - Ventilate			
RESOURCES			ESTIMATED LOSSES AND VALUES				CASUALTIES				
	APPARATUS	PERSONNEL	LOSSES	PROPERTY			DEATHS	INJURIES			
SUPPRESSION	10	30		CONTENTS		FIRE SERVICE	0	0			
EMS	1	2	VALUE	PROPERTY		CIVILIAN	0	0			
OTHER	0	0		CONTENTS							
MIXED USE PROPERTY		PROPERTY USE			DETECTOR			HAZARDOUS MATERIALS RELEASE			
		898 - Dock, marina, pier, wharf									
2-FIRE											
PROPERTY DETAILS						ON-SITE MATERIALS			STORAGE USE		
# RESIDENTIAL UNITS		NOT RESIDENTIAL?		-	310 - Wood, other			N - None			
# BUILDING INVOLVE	0	NO BLD INVOLVED?		-							
# ACRES BURNED	0	LESS THAN ONE?		-							
AREA OF ORIGIN			HEAT SOURCE			ITEM FIRST IGNITED			TYPE OF MATERIAL FIRST IGNITED		
90 - Outside area, other			61 - Cigarette			44 - Chips, including wood chips			58 - Tobacco		
CAUSE OF IGNITION			FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION				
2 - Unintentional			NN - None				3 - Unattended or unsupervised person				
AGE	0	IF EQUIPMENT		TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER		
SEX	-	INVOLVED IN IGNITION		-	-	-	-	-	-		
FIRE SUPPRESSION FACTORS			EQUIPMENT PORTABILITY			MOBILE PROPERTY TYPE			MOBILE PROPERTY MAKE		
			MOBILE PROPERTY INVOLVED			MODEL	YEAR	LICENSE PLATE NO	STATE	VIN	
3-STRUCTURE FIRE											
STRUCTURE TYPE		BUILDING STATUS			STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD
FIRE DAMAGE		STORIES DAMAGED BY FLAME				NO SPREAD?	CONTRIB ITEM			CONTRIB TYPE	
		MINOR	SIGNIF.	HEAVY	EXTR.						
DETECTOR PRESENCE		TYPE	POWER SUPPLY		OPERATION		EFFECTIVENESS			FAILURE REASON	
AES PRESENCE		AES TYPE		AES OPERATION			AES FAILURE			#SPRINK. HEADS	
1S - NARRATIVE											
								WOO,ARNOLD P		04/21/08 17:44	
Called for pier fire. Upon arrival first company reports fire on pier. Embarcadero command in service. Extinguished 2X2 section of pier and cut out. Special call port authority and was notified that they had sent repairmen.											

# Attachment A

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: WOO,ARNOLD P

Co.: B01 Date Printed: 03/21/2022 Incident No: 08034520 Exp:0 Version: V01

## TRIAL EXHIBIT 73.H-2

# 19

Employee v Officer v Daily v Monthly v

### PIO Briefing Search

Reset Search

Call Date: 08/26/2008 
 Use Watch: 
 Unit: E40 
 Inc No: 
 Rows: 50

### Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address
082390240	08073301	08/26/08 14:23	XM	CODE 3 MEDIC	2345 24TH AV Create
082390212	<b>08073282</b>	08/26/08 13:23	67B1	SM OUTSIDE FIRE	1717 15TH AV Create
082390098	08073209	08/26/08 08:45	18C4	HDACHE-SUDDEN	2263 19TH AV Create
082390067	08073189	08/26/08 06:16	XM	CODE 3 MEDIC	22ND AV/WAWONA ST Create
082390047	08073174	08/26/08 03:51	12D2	SZR-ACTIVE/MULTP	2339 18TH AV Create

1 - 5

# Attachment A

## TRIAL EXHIBIT 73.O-1



1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE					08073282	0	V01	22		District 08
38005	CA										
INCIDENT DATE	ALARM TIME	ARRIVALTIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO			
08/26/2008	08/26/08 13:23	08/26/08 13:29	08/26/08 14:11	E40	CASTELLANOS,RUDY J		None				
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS			
1 - Street address		1717 15th Av.				-	94116	1			
INCIDENT TYPE				ACTIONS TAKEN							
700 - False alarm or false call, other				86 - Investigate							
RESOURCES			ESTIMATED LOSSES AND VALUES				CASUALTIES				
	APPARATUS	PERSONNEL	LOSSES	PROPERTY			DEATHS	INJURIES			
SUPPRESSION	3	10		CONTENTS		FIRE SERVICE	0	0			
EMS	0	0	VALUE	PROPERTY		CIVILIAN	0	0			
OTHER	0	0		CONTENTS							
MIXED USE PROPERTY		PROPERTY USE			DETECTOR		HAZARDOUS MATERIALS RELEASE				
		419 - 1 or 2 family dwelling									
2-FIRE											
PROPERTY DETAILS					ON-SITE MATERIALS			STORAGE USE			
# RESIDENTIAL UNITS		NOT RESIDENTIAL?									
# BUILDING INVOLVE		NO BLD INVOLVED?									
# ACRES BURNED		LESS THAN ONE?									
AREA OF ORIGIN		HEAT SOURCE			ITEM FIRST IGNITED		TYPE OF MATERIAL FIRST IGNITED				
CAUSE OF IGNITION		FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION					
AGE	IF EQUIPMENT INVOLVED IN IGNITION	TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER				
SEX											
FIRE SUPPRESSION FACTORS		EQUIPMENT PORTABILITY			MOBILE PROPERTY TYPE		MOBILE PROPERTY MAKE				
MOBILE PROPERTY INVOLVED				MODEL	YEAR	LICENSE PLATE NO	STATE	VIN			
3-STRUCTURE FIRE											
STRUCTURE TYPE		BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD	
FIRE DAMAGE		STORIES DAMAGED BY FLAME			NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE			
		MINOR	SIGNIF.	HEAVY	EXTR.						
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION	EFFECTIVENESS			FAILURE REASON			
AES PRESENCE		AES TYPE	AES OPERATION		AES FAILURE			#SPRINK. HEADS			
1S - NARRATIVE											
								CASTELLANOS,RUDY J		08/26/08 16:28	
SMOKE IN THE AREA-GRASS FIRE IN BACKYARD OF 1717 15TH AVE.STARTED BY HEATED CLASS FROM SUN SITTING ON GRASS.											

# Attachment A

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.  
 Member Making Report: CASTELLANOS,RUDY J Co.: B08 Date Printed: 03/21/2022 Incident No: 08073282 Exp:0 Version: V01

TRIAL EXHIBIT 73.O-2

Officer

MU3162 Portal Change Password Help Feedback Logout

Employee Officer Daily Monthly

PIO Briefing Search

Reset Search

Call Date: 06/16/2010  Use Watch Dt?

Unit: T19  Inc No:  Rows: 50

Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address	
101670251	<b>10052784</b>	06/16/10 15:41	FIB	FIRE IN BUILDING	2159 12TH AV	Create
101670169	10052724	06/16/10 12:37	52C3	COMMERC BLG ALRM	235 BUCKINGHAM WY	Create

1 - 2

# Attachment A

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE					10052784	0	V01	40		District 83
38005	CA										
INCIDENT DATE	ALARM TIME	ARRIVALTIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO			
06/16/2010	06/16/10 15:41	06/16/10 15:46	06/16/10 16:14	E40	TAYLOR,KEVIN D		None				
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS			
1 - Street address		2159 12th Av.				-	94116	1			
INCIDENT TYPE				ACTIONS TAKEN							
112 - Fires in struct. other than in a bldg.				11 - Extinguish		12 - Salvage & overhaul					
RESOURCES			ESTIMATED LOSSES AND VALUES			CASUALTIES					
	APPARATUS	PERSONNEL	LOSSES	PROPERTY	2,000		DEATHS	INJURIES			
SUPPRESSION	10	32		CONTENTS	200	FIRE SERVICE	0	0			
EMS	0	0	VALUE	PROPERTY	8,000	CIVILIAN	0	0			
OTHER	0	0		CONTENTS	5,000						
MIXED USE PROPERTY		PROPERTY USE			DETECTOR		HAZARDOUS MATERIALS RELEASE				
		419 - 1 or 2 family dwelling									
2-FIRE											
PROPERTY DETAILS				ON-SITE MATERIALS				STORAGE USE			
# RESIDENTIAL UNITS		NOT RESIDENTIAL?	N								
# BUILDING INVOLVE	0	NO BLD INVOLVED?	-								
# ACRES BURNED	0	LESS THAN ONE?	-								
AREA OF ORIGIN			HEAT SOURCE			ITEM FIRST IGNITED		TYPE OF MATERIAL FIRST IGNITED			
72 - Exterior balcony, unenclosed porch			71 - Sunlight			70 - Organic materials, other					
CAUSE OF IGNITION			FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION				
2 - Unintentional			NN - None				N - None				
AGE	0	IF EQUIPMENT INVOLVED IN IGNITION	TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER			
SEX	-										
FIRE SUPPRESSION FACTORS			EQUIPMENT PORTABILITY			MOBILE PROPERTY TYPE		MOBILE PROPERTY MAKE			
			MOBILE PROPERTY INVOLVED			MODEL	YEAR	LICENSE PLATE NO	STATE	VIN	
3-STRUCTURE FIRE											
STRUCTURE TYPE		BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD	
3 -Open structure				0	00	0	0	0	0	0	
FIRE DAMAGE		STORIES DAMAGED BY FLAME			NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE			
		MINOR	SIGNIF.	HEAVY	EXTR.						
		0	0	0	0						
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION		EFFECTIVENESS		FAILURE REASON			
AES PRESENCE		AES TYPE	AES OPERATION		AES FAILURE		#SPRINK. HEADS				
							0				
1S - NARRATIVE											
										TAYLOR,KEVIN D	06/16/10 18:36
Small fire on rear deck of dwelling confined to approximately 2 sq ft. of deck area. Fire most likely caused by glass bottle creating prism effect and igniting planter box located on deck. Forcible entry was made in order to reach location of fire.											

# Attachment A

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.  
 Member Making Report: TAYLOR,KEVIN D Co.: B08 Date Printed: 03/15/2022 Incident No: 10052784 Exp:0 Version: V01

TRIAL EXHIBIT 75.B-2

Officer

MU3162

Portal

Change Password

Help

Feedback

Logout

SFFD Production

Employee

Officer

Daily

Monthly

PIO Briefing Search

Reset Search

<b>Call Date</b>	<b>Use Watch Dt?</b>	<b>Unit</b>	<b>Inc No</b>	<b>Rows</b>
05/11/2015	<input type="checkbox"/>	HT48		50

Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address
151312552	15049782	05/11/15 16:34	BOX	FIB	1316 GATEVIEW AV, TI

1 - 1

# Attachment A

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT			INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE				15049782	0	V00	48	2931	District 03
38005	CA									
INCIDENT DATE	ALARM TIME	ARRIVAL TIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO		
05/11/2015	05/11/15 16:34	05/11/15 16:39	05/11/15 17:15		McGee Richard E		N None			
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS		
5 Adjacent to		1316 GATEVIEW AV, TI					94130	1		
INCIDENT TYPE			ACTIONS TAKEN							
140 Natural vegetation fire, other			11 Extinguishment by fire service person							
RESOURCES			ESTIMATED LOSSES AND VALUES			CASUALTIES				
	APPARATUS	PERSONNEL	LOSSES	PROPERTY		DEATHS	INJURIES			
SUPPRESSION	10	37		CONTENTS		0	0			
EMS	3	6	VALUE	PROPERTY	FIRE SERVICE	0	0			
OTHER	1	2		CONTENTS	CIVILIAN	0	0			
MIXED USE PROPERTY		PROPERTY USE		DETECTOR		HAZARDOUS MATERIALS RELEASE				
		931 Open land or field								
2-FIRE										
PROPERTY DETAILS					ON-SITE MATERIALS			STORAGE USE		
# RESIDENTIAL UNITS		NOT RESIDENTIAL?	NO							
# BUILDING INVOLVE		NO BLD INVOLVED?	NO							
# ACRES BURNED		LESS THAN ONE?	YES							
AREA OF ORIGIN			HEAT SOURCE		ITEM FIRST IGNITED		TYPE OF MATERIAL FIRST IGNITED			
94 Open area, outside; included are farmland			UU Undetermined		UU Undetermined					
CAUSE OF IGNITION			FACTORS CONTRIBUTING IGNITION			HUMAN FACTORS FOR IGNITION				
U Cause undetermined after investigation			UU Undetermined			N None				
AGE	IF EQUIPMENT INVOLVED IN IGNITION	TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER			
SEX										
FIRE SUPPRESSION FACTORS		EQUIPMENT PORTABILITY		MOBILE PROPERTY TYPE			MOBILE PROPERTY MAKE			
MOBILE PROPERTY INVOLVED				MODEL	YEAR	LICENSE PLATE NO	STATE	VIN		
3-STRUCTURE FIRE										
STRUCTURE TYPE		BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD
										NO
FIRE DAMAGE		STORIES DAMAGED BY FLAME			NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE		
		MINOR	SIGNIF.	HEAVY	EXTR.	NO				
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION	EFFECTIVENESS			FAILURE REASON		
AES PRESENCE		AES TYPE	AES OPERATION		AES FAILURE			#SPRINK. HEADS		
1S - NARRATIVE										
McGee, Richard E May 11 2015 9:58PM:duff under tree in middle of lawn on treasure island.								McGee Richard E		05/11/15 00:00

# Attachment A

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: McGee Richard E Co.: Date Printed: 03/17/2022 Incident No: 15049782 Exp:0 Version: V00

TRIAL EXHIBIT 78.A-2

Officer

MU3162

Portal

Change Password

Help

Feedback

Logout

SFFD Production

Employee

Officer

Daily

Monthly

PIO Briefing Search

Reset

Search

Call Date

06/15/2015



Use

Watch  
Dt?

Unit

HT48



Inc No

Rows

50

Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address
151663143	<b>15063612</b>	06/15/15 19:35	BOX	FIB	1149 OZBOURN CT , TI

Create

1 - 1

# Attachment A

JUNE 15 MONDAY

2016 166th day - 199 days follow

T/Lt: DEVATH

DR: JACOBS

BLD  
NCD  
Jacobs

FHT4B @ BLDG 260  
HMS CHECKLIST DVE  
LI WILLIAMS SP

0800

ROLL CALL. INSPECTION OK. RULES & RUGS OBSERVED  
ALL EQUIPMENT CHECKED: APP. SAFETY RADIOS,

SEBAS, MEDICAL. CO: 1/2 TLT Joe Devath

0900

CHECKED BUILDING 260. FHT4B & HMS CHECKLIST

1000

CO DRILL @ DET II, 1st IN / 2nd FN LARGE LINE  
DEPLOYMENT. HHT4B, EHT4B, THT4B

1100

2nd IN / 3rd FN  
4th FN

Attachment A

TRIAL EXHIBIT 78.B-2

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT			INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE									

INCIDENT DATE	ALARM TIME	ARRIVALTIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER	MUTUAL AID	MULTI-AGENCY INC. NO
---------------	------------	-------------	------------	------------	--------------------	------------	----------------------

LOCATION TYPE	INCIDENT ADDRESS / LOCATION	APARTMENT	ZIP CODE	ALARMS
---------------	-----------------------------	-----------	----------	--------

INCIDENT TYPE	ACTIONS TAKEN
---------------	---------------

RESOURCES		ESTIMATED LOSSES AND VALUES		CASUALTIES		
	APPARATUS	PERSONNEL	LOSSES	PROPERTY	DEATHS	INJURIES
SUPPRESSION				CONTENTS	FIRE SERVICE	
EMS			VALUE	PROPERTY	CIVILIAN	
OTHER				CONTENTS		
MIXED USE PROPERTY		PROPERTY USE		DETECTOR	HAZARDOUS MATERIALS RELEASE	

**2-FIRE**

PROPERTY DETAILS	ON-SITE MATERIALS	STORAGE USE
------------------	-------------------	-------------

# RESIDENTIAL UNITS	NOT RESIDENTIAL?	
# BUILDING INVOLVE	NO BLD INVOLVED?	
# ACRES BURNED	LESS THAN ONE?	

AREA OF ORIGIN	HEAT SOURCE	ITEM FIRST IGNITED	TYPE OF MATERIAL FIRST IGNITED
----------------	-------------	--------------------	--------------------------------

CAUSE OF IGNITION	FACTORS CONTRIBUTING IGNITION	HUMAN FACTORS FOR IGNITION
-------------------	-------------------------------	----------------------------

AGE	IF EQUIPMENT INVOLVED IN IGNITION	TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER
-----	-----------------------------------	------	------	-------	-----------	------	-----------------

SEX							
-----	--	--	--	--	--	--	--

FIRE SUPPRESSION FACTORS	EQUIPMENT PORTABILITY	MOBILE PROPERTY TYPE	MOBILE PROPERTY MAKE
--------------------------	-----------------------	----------------------	----------------------

MOBILE PROPERTY INVOLVED	MODEL	YEAR	LICENSE PLATE NO	STATE	VIN
--------------------------	-------	------	------------------	-------	-----

**3-STRUCTURE FIRE**

STRUCTURE TYPE	BUILDING STATUS	STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD
----------------	-----------------	---------------	---------------	-------------	--------	-------	-------	------------

FIRE DAMAGE	STORIES DAMAGED BY FLAME	NO SPREAD?	CONTRIB ITEM	CONTRIB TYPE
-------------	--------------------------	------------	--------------	--------------

	MINOR	SIGNIF.	HEAVY	EXTR.	
--	-------	---------	-------	-------	--

DETECTOR PRESENCE	TYPE	POWER SUPPLY	OPERATION	EFFECTIVENESS	FAILURE REASON
-------------------	------	--------------	-----------	---------------	----------------

AES PRESENCE	AES TYPE	AES OPERATION	AES FAILURE	#SPRINK. HEADS
--------------	----------	---------------	-------------	----------------

**1S - NARRATIVE**

# Attachment A

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report:

Co.:

Date Printed: 03/17/2022

Incident No:

Exp:

Version:

TRIAL EXHIBIT 78.B-3



Officer

MU3162

Portal

Change Password

Help

Feedback

Logout

SFFD Production

Employee

Officer

Daily

Monthly

### PIO Briefing Search

Reset Search

Call Date

07/02/2015



Use

Watch  
Dt?

Unit

HT48



Inc No

Rows

50

### Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address	
151832555	<b>15069922</b>	07/02/15 15:53	71D1	VF TRAPPED	700 80 EB BAY BR Z SF	Create

1 - 1

# Attachment A

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE					15069922	0	V00	35	2136	District 03
38005	CA										
INCIDENT DATE	ALARM TIME	ARRIVAL TIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO			
07/02/2015	07/02/15 15:53	07/02/15 16:01	07/02/15 17:45		McGee Richard E		N None				
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS			
6 Directions		700					94105	1			
INCIDENT TYPE				ACTIONS TAKEN							
131 Passenger vehicle fire				11 Extinguishment by fire service person							
RESOURCES			ESTIMATED LOSSES AND VALUES				CASUALTIES				
	APPARATUS	PERSONNEL	LOSSES	PROPERTY	10,000		DEATHS	INJURIES			
SUPPRESSION	5	19		CONTENTS	1,000	FIRE SERVICE	0	0			
EMS	2	3	VALUE	PROPERTY		CIVILIAN	0	1			
OTHER	0	0		CONTENTS							
MIXED USE PROPERTY		PROPERTY USE		DETECTOR			HAZARDOUS MATERIALS RELEASE				
		922 Tunnel									
2-FIRE											
PROPERTY DETAILS				ON-SITE MATERIALS				STORAGE USE			
# RESIDENTIAL UNITS		NOT RESIDENTIAL?	NO								
# BUILDING INVOLVE		NO BLD INVOLVED?	NO								
# ACRES BURNED		LESS THAN ONE?	NO								
AREA OF ORIGIN		HEAT SOURCE		ITEM FIRST IGNITED			TYPE OF MATERIAL FIRST IGNITED				
80 Vehicle area, other		UU Undetermined		UU Undetermined							
CAUSE OF IGNITION		FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION					
2 Unintentional		UU Undetermined				7\$5 Age was a factor\$Physically disabled					
AGE	72	IF EQUIPMENT INVOLVED IN IGNITION	TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER			
SEX	1										
FIRE SUPPRESSION FACTORS		EQUIPMENT PORTABILITY		MOBILE PROPERTY TYPE			MOBILE PROPERTY MAKE				
				1 Automobile, passenger car, ambulance, race ca			Lexus				
		MOBILE PROPERTY INVOLVED		MODEL	YEAR	LICENSE PLATE NO	STATE	VIN			
		3 Involved in ignition and burned		Is400	1993	3END067	California	tt8uf11e7p0169828			
3-STRUCTURE FIRE											
STRUCTURE TYPE		BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD	
										NO	
FIRE DAMAGE		STORIES DAMAGED BY FLAME			NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE			
		MINOR	SIGNIF.	HEAVY	EXTR.	NO					
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION	EFFECTIVENESS			FAILURE REASON			
AES PRESENCE		AES TYPE	AES OPERATION		AES FAILURE			#SPRINK. HEADS			
1S - NARRATIVE											
McGee, Richard E Jul 3 2015 10:28AM: bay bridge east bound 80 in YBI tunnel. Single vehicle stopped in left most lane in tunnel on fire. Fire started in left rear possibly electric, taillight area. no involvement of passenger area or engine compartment. Elderly gentleman transported.										07/03/15 00:00	

# Attachment A

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: McGee Richard E Co.: Date Printed: 03/17/2022 Incident No: 15069922 Exp:0 Version: V00

TRIAL EXHIBIT 78.C-2

30

Officer

MU3162

Portal

Change Password

Help

Feedback

Logout

SFFD Production

Employee

Officer

Daily

Monthly

### PIO Briefing Search

Reset Search

Call Date

06/07/2016



Use

Watch  
Dt?

Unit

HT48

Inc No

Rows

50

### Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address	
161590752	16062530	06/07/16 08:12	E	DISPATCH ENGINE	2 AVENUE OF THE PALMS, TI	Create

1 - 1

# Attachment A

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT			INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT	
FDID	STATE				16062530	0	V00	48	2931	District 03	
38005	CA										
INCIDENT DATE	ALARM TIME	ARRIVAL TIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO			
06/07/2016	06/07/16 08:12	06/07/16 08:12	06/07/16 11:18		Bryant Michael R		N None				
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS			
2 Intersection		2 AVENUE OF THE PALMS, TI					94130	1			
INCIDENT TYPE				ACTIONS TAKEN							
132 Road freight or transport vehicle fire				11 Extinguishment by fire service person							
RESOURCES			ESTIMATED LOSSES AND VALUES			CASUALTIES					
	APPARATUS	PERSONNEL	LOSSES	PROPERTY	200,000		DEATHS	INJURIES			
SUPPRESSION	6	23		CONTENTS	50,000	FIRE SERVICE	0	0			
EMS	1	2	VALUE	PROPERTY		CIVILIAN	0	0			
OTHER	0	0		CONTENTS							
MIXED USE PROPERTY		PROPERTY USE			DETECTOR		HAZARDOUS MATERIALS RELEASE				
		961 Highway or divided highway									
2-FIRE											
PROPERTY DETAILS				ON-SITE MATERIALS				STORAGE USE			
# RESIDENTIAL UNITS		NOT RESIDENTIAL?	NO								
# BUILDING INVOLVE		NO BLD INVOLVED?	NO								
# ACRES BURNED		LESS THAN ONE?	NO								
AREA OF ORIGIN		HEAT SOURCE		ITEM FIRST IGNITED		TYPE OF MATERIAL FIRST IGNITED					
83 Engine area, running gear, wheel area		40 Hot or smoldering object, other		62 Flammable liquid/gas - in/from engine or bu		23 Gasoline					
CAUSE OF IGNITION		FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION					
3 Failure of equipment or heat source		23 Leak or break				4A§2 Possibly mentally disabledA§Possib					
AGE	IF EQUIPMENT INVOLVED IN IGNITION	TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER				
SEX											
FIRE SUPPRESSION FACTORS		EQUIPMENT PORTABILITY		MOBILE PROPERTY TYPE			MOBILE PROPERTY MAKE				
				1 Automobile, passenger car, ambulance, race ci			Other Make				
		MOBILE PROPERTY INVOLVED		MODEL	YEAR	LICENSE PLATE NO	STATE	VIN			
		3 Involved in ignition and burned									
3-STRUCTURE FIRE											
STRUCTURE TYPE	BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD		
									NO		
FIRE DAMAGE		STORIES DAMAGED BY FLAME			NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE			
		MINOR	SIGNIF.	HEAVY	EXTR.	NO					
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION	EFFECTIVENESS			FAILURE REASON			
AES PRESENCE		AES TYPE	AES OPERATION		AES FAILURE			#SPRINK. HEADS			
1S - NARRATIVE											
										Bryant Michael R	
										06/27/16 00:00	
Bryant, Michael R Jun 16 2016 8:57PM:person broke in and stole ambulance from an active call, got on freeway, police in pursuit, person crashes, ambulance catches fire, total loss											

# Attachment A

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: Bryant Michael R

Co.: Date Printed: 03/17/2022 Incident No: 16062530 Exp:0 Version: V00

## TRIAL EXHIBIT 79.B-2

# 32

Officer

MU316Z Portal Change Password Help Feedback Logout SFFD Production

Employee Officer Daily Monthly

PIO Briefing Search

Reset Search

Call Date: 10/26/2016  Use Watch Dt?

Unit: HT48  Inc No:  Rows: 50

Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address	
163002452	16119271	10/26/16 14:38	WF	WORKING FIRE	1219-B MARINER DR, TI	Create

1 - 1

# Attachment A

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE					16119271	0	V00	48	2931	District 03
38005	CA										
INCIDENT DATE	ALARM TIME	ARRIVAL TIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO			
10/26/2016	10/26/16 14:38	10/26/16 14:43	10/26/16 15:19		RUBENSTEIN BRYAN W		N None				
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS			
1 Street address		1219-B MARINER DR, TI					94130	1			
INCIDENT TYPE				ACTIONS TAKEN							
111 Building fire				11 Extinguishment by fire service person							
RESOURCES			ESTIMATED LOSSES AND VALUES			CASUALTIES					
	APPARATUS	PERSONNEL	LOSSES	PROPERTY	1,000		DEATHS	INJURIES			
SUPPRESSION	11	41		CONTENTS	10,000	FIRE SERVICE	0	0			
EMS	2	3	VALUE	PROPERTY		CIVILIAN	0	0			
OTHER	1	2		CONTENTS							
MIXED USE PROPERTY		PROPERTY USE		DETECTOR			HAZARDOUS MATERIALS RELEASE				
		419 1 or 2 family dwelling									
2-FIRE											
PROPERTY DETAILS				ON-SITE MATERIALS				STORAGE USE			
# RESIDENTIAL UNITS	2		NOT RESIDENTIAL?	NO							
# BUILDING INVOLVE			NO BLD INVOLVED?	NO							
# ACRES BURNED			LESS THAN ONE?	NO							
AREA OF ORIGIN		HEAT SOURCE		ITEM FIRST IGNITED		TYPE OF MATERIAL FIRST IGNITED					
24 Cooking area, kitchen		12 Radiated or conducted heat from operatin		76 Cooking materials, including edible materia							
CAUSE OF IGNITION		FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION					
2 Unintentional		53 Equipment unattended				N None					
AGE	IF EQUIPMENT INVOLVED IN IGNITION	TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER				
SEX											
FIRE SUPPRESSION FACTORS		EQUIPMENT PORTABILITY		MOBILE PROPERTY TYPE			MOBILE PROPERTY MAKE				
		MOBILE PROPERTY INVOLVED		MODEL	YEAR	LICENSE PLATE NO	STATE	VIN			
3-STRUCTURE FIRE											
STRUCTURE TYPE		BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD	
1 Enclosed building		2 In normal use		2		2500			1	NO	
FIRE DAMAGE		STORIES DAMAGED BY FLAME			NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE			
2 Confined to room of origin		MINOR	SIGNIF.	HEAVY	EXTR.	NO					
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION	EFFECTIVENESS			FAILURE REASON			
1 Present		1 Smoke	4 Hardwire with batter	2 Detector operated	1 Detector alerted occupants, occupants res						
AES PRESENCE		AES TYPE		AES OPERATION		AES FAILURE		#SPRINK. HEADS			
N None Present											
1S - NARRATIVE											
RUBENSTEIN BRYAN W								12/19/16 00:00			
RUBENSTEIN, BRYAN W Dec 19 2016 8:57AM:Oven fire.											

# Attachment A

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: RUBENSTEIN BRYAN W

Co.:

Date Printed: 03/17/2022

Incident No: 16119271

Exp:0

Version: V00

## TRIAL EXHIBIT 79.C-2

# 34

Employee ▾ | Officer ▾ | Daily ▾ | Monthly ▾

PIO Briefing Search

Reset Search

Call Date: 11/28/2021 
 Use Watch Dt? 
 Unit: HT48 
 Inc No: 
 Rows: 50

Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address	
213320090	21146178	11/28/21 00:26	VF	VEHICLE FIRE	700 80 WB BAY BR Z TI	Create

1 - 1

# Attachment A

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE					21146178	0	V00	48	2951	District 03
38005	CA										
INCIDENT DATE	ALARM TIME	ARRIVAL TIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO			
11/28/2021	11/28/21 00:26	11/28/21 00:37	11/28/21 00:55		Krishpinovich Nikolai		N None				
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS			
1 Street address		700 80 WB BAY BR Z TI					94103	1			
INCIDENT TYPE			ACTIONS TAKEN								
131 Passenger vehicle fire			11 Extinguishment by fire service personn								
RESOURCES			ESTIMATED LOSSES AND VALUES				CASUALTIES				
	APPARATUS	PERSONNEL	LOSSES	PROPERTY			DEATHS	INJURIES			
SUPPRESSION	3	13		CONTENTS		FIRE SERVICE	0	0			
EMS	0	0	VALUE	PROPERTY		CIVILIAN	0	0			
OTHER	0	0		CONTENTS							
MIXED USE PROPERTY		PROPERTY USE			DETECTOR			HAZARDOUS MATERIALS RELEASE			
		921 Bridge, trestle									
2-FIRE											
PROPERTY DETAILS				ON-SITE MATERIALS				STORAGE USE			
# RESIDENTIAL UNITS		NOT RESIDENTIAL?	NO								
# BUILDING INVOLVE		NO BLD INVOLVED?	NO								
# ACRES BURNED		LESS THAN ONE?	NO								
AREA OF ORIGIN		HEAT SOURCE		ITEM FIRST IGNITED		TYPE OF MATERIAL FIRST IGNITED					
82 Cargo/trunk area all vehicles		000 Rechargeable Batteries		UU Undetermined							
CAUSE OF IGNITION			FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION				
3 Failure of equipment or heat source			30 Electrical failure, malfunction, other				N None				
AGE	IF EQUIPMENT INVOLVED IN IGNITION	TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER				
SEX											
FIRE SUPPRESSION FACTORS		EQUIPMENT PORTABILITY		MOBILE PROPERTY TYPE			MOBILE PROPERTY MAKE				
MOBILE PROPERTY INVOLVED				MODEL	YEAR	LICENSE PLATE NO	STATE	VIN			
1 Not involved in ignition, but burned											
3-STRUCTURE FIRE											
STRUCTURE TYPE		BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD	
										NA	
FIRE DAMAGE		STORIES DAMAGED BY FLAME				NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE		
		MINOR	SIGNIF.	HEAVY	EXTR.	NA					
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION		EFFECTIVENESS		FAILURE REASON			
AES PRESENCE		AES TYPE	AES OPERATION		AES FAILURE		#SPRINK. HEADS				
1S - NARRATIVE											
										Krishpinovich Nikolai	12/04/21 12:04
Krishpinovich, Nikolai Dec 04 2021 11:48AM:E48 dispatched to a vehicle fire on the upper span of the bay bridge. Upon arrival a compact Toyota passenger car was found to be on fire. E48 with the assistance of T48 and hose tender 48 extinguished the fire. The fire originated in the trunk of the car. upon opening the truck and overhauling the space a mobile blue tooth speaker was found. It looked as though it overheated and was the source of ignition. The scene was handed over to CHP and tow trucks upon their arrival.											

# Attachment A

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: Krishpinovich Nikolai

Co.:

Date Printed: 03/21/2022

Incident No: 21146178

Exp:0

Version: V00

## TRIAL EXHIBIT 82-2

# 36





# Training Bulletin

Division of Emergency Communications

Topic:	Use of BET for Appliance Fires, Burned Food and Extinguished Fires	Date:	7/22/2021
By:	Training Section	Number:	TB21-014

Training Delivery: Lineup, Email & SharePoint.

Purpose: SFFD has approved the use of **BET for Appliance Fires, Burned Food, and Extinguished Fires** during initial call interrogation.

Overview:

- BET dispatches a Battalion Chief, Engine, and Truck. It replaces BOX/FIB and BOX/SIB for contained Appliance Fires, Extinguished Fires, and 1<sup>st</sup> Party reports of Burned Food
- After initiating a BET call, launch ProQA to process the call on Protocol 69: Structure Fire. Then reconfigure BET to the ProQA-generated Final Determinant code.
- This reduces the response of unnecessary apparatus and allows units to arrive on scene quickly to assess the need for additional resources.

Instructions for Call Takers:

1) Enter BET in the Event Entry Type Field, include the nature of the complaint in the Comments Field (eg: Oven has a baking sheet inside with cookies on fire, and there's a little smoke coming from the closed oven door), and hit <ENTER> for the following calls:

a. **Appliance Fire** that is fully contained within an appliance (light smoke may be present outside the appliance). Reference LA21-001

i. However, if heavy smoke is present outside the appliance, DO NOT answer "Contained" in Key Question #3. Choose "No." ProQA will reconfigure and upgrade the call to a Full Box response.

3. Is the fire contained completely inside the appliance? (Light smoke may be present outside the appliance.)	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Unknown
---	---

b. **Extinguished Fire** information MUST be spontaneously provided by the caller. DO NOT ask the caller if the fire has been extinguished.

c. **Burned Food** information MUST be spontaneously provided by the caller. DO NOT ask the caller if the smoke odor smells like burned food.

2) Launch ProQA (REQUIRED) and select Protocol 69: Structure Fire from CASE ENTRY.

Chief Complaint Code?

# Attachment B