

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT			INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE				07080327	0	V01	11		District 06
38005	CA									
INCIDENT DATE	ALARM TIME	ARRIVAL TIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO		
10/06/2007	10/06/07 16:49	10/06/07 16:52	10/06/07 17:32	E11	TAYLOR,KEVIN D		None			
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS		
1 - Street address		3939 20th St.				10	94110	1		
INCIDENT TYPE			ACTIONS TAKEN							
651 - Smoke scare, odor of smoke			86 - Investigate							
RESOURCES			ESTIMATED LOSSES AND VALUES			CASUALTIES				
	APPARATUS	PERSONNEL	LOSSES	PROPERTY		DEATHS	INJURIES			
SUPPRESSION	10	31		CONTENTS	50	FIRE SERVICE	0	0		
EMS	0	0	VALUE	PROPERTY		CIVILIAN	0	0		
OTHER	0	0		CONTENTS	2,500					
MIXED USE PROPERTY		PROPERTY USE		DETECTOR			HAZARDOUS MATERIALS RELEASE			
		429 - Multifamily dwellings		1 - Detector alerted occupants						
2-FIRE										
PROPERTY DETAILS					ON-SITE MATERIALS			STORAGE USE		
# RESIDENTIAL UNITS	NOT RESIDENTIAL?									
# BUILDING INVOLVE	NO BLD INVOLVED?									
# ACRES BURNED	LESS THAN ONE?									
AREA OF ORIGIN			HEAT SOURCE		ITEM FIRST IGNITED		TYPE OF MATERIAL FIRST IGNITED			
CAUSE OF IGNITION			FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION			
AGE	IF EQUIPMENT INVOLVED IN IGNITION		TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER		
SEX										
FIRE SUPPRESSION FACTORS			EQUIPMENT PORTABILITY		MOBILE PROPERTY TYPE			MOBILE PROPERTY MAKE		
			MOBILE PROPERTY INVOLVED		MODEL	YEAR	LICENSE PLATE NO	STATE	VIN	
3-STRUCTURE FIRE										
STRUCTURE TYPE		BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD
FIRE DAMAGE		STORIES DAMAGED BY FLAME			NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE		
		MINOR	SIGNIF.	HEAVY	EXTR.					
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION	EFFECTIVENESS			FAILURE REASON		
AES PRESENCE		AES TYPE	AES OPERATION		AES FAILURE			#SPRINK. HEADS		
1S - NARRATIVE										
							TAYLOR,KEVIN D		08/04/08 12:53	
Burnt food.										

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: TAYLOR,KEVIN D

Co.: B06 Date Printed: 03/19/2022 Incident No: 07080327 Exp:0 Version: V01

TRIAL EXHIBIT 72.R-2

315

Officer

MU3162 Portal Change Password Help Feedback Logout SFFD Production

Employee Officer Daily Monthly

PIO Briefing Search

Reset Search

Call Date 10/07/2007 Use Watch Dt? Unit T10 Inc No Rows 50

Incidents

Table with 7 columns: Call No, Inc No, Rx DtTm, Call Type, Call Descr, Address, and an action column. Contains 6 rows of incident data.

1 - 6

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT	
FDID	STATE					07080717	0	V01	10		District 05	
38005	CA											
INCIDENT DATE	ALARM TIME	ARRIVALTIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO				
10/07/2007	10/07/07 19:39	10/07/07 19:45	10/07/07 19:49	E10			None					
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS				
1 - Street address		2415 Post St.				-	94118	1				
INCIDENT TYPE			ACTIONS TAKEN									
113 - Cooking fire, confined to container			86 - Investigate									
RESOURCES			ESTIMATED LOSSES AND VALUES				CASUALTIES					
	APPARATUS	PERSONNEL	LOSSES	PROPERTY			DEATHS	INJURIES				
SUPPRESSION	3	10		CONTENTS		1	FIRE SERVICE	0	0			
EMS	0	0	VALUE	PROPERTY			CIVILIAN	0	0			
OTHER	0	0		CONTENTS		1						
MIXED USE PROPERTY		PROPERTY USE			DETECTOR			HAZARDOUS MATERIALS RELEASE				
		419 - 1 or 2 family dwelling			1 - Detector alerted occupants							
2-FIRE												
PROPERTY DETAILS				ON-SITE MATERIALS				STORAGE USE				
# RESIDENTIAL UNITS		NOT RESIDENTIAL?										
# BUILDING INVOLVE		NO BLD INVOLVED?										
# ACRES BURNED		LESS THAN ONE?										
AREA OF ORIGIN		HEAT SOURCE		ITEM FIRST IGNITED			TYPE OF MATERIAL FIRST IGNITED					
CAUSE OF IGNITION		FACTORS CONTRIBUTING IGNITION					HUMAN FACTORS FOR IGNITION					
AGE	IF EQUIPMENT INVOLVED IN IGNITION	TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER					
SEX												
FIRE SUPPRESSION FACTORS		EQUIPMENT PORTABILITY			MOBILE PROPERTY TYPE			MOBILE PROPERTY MAKE				
		MOBILE PROPERTY INVOLVED			MODEL	YEAR	LICENSE PLATE NO	STATE	VIN			
3-STRUCTURE FIRE												
STRUCTURE TYPE	BUILDING STATUS			STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD		
FIRE DAMAGE		STORIES DAMAGED BY FLAME				NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE			
		MINOR	SIGNIF.	HEAVY	EXTR.							
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION		EFFECTIVENESS			FAILURE REASON			
AES PRESENCE		AES TYPE	AES OPERATION			AES FAILURE			#SPRINK. HEADS			
1S - NARRATIVE												

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report:

Co.:

Date Printed: 03/19/2022

Incident No: 07080717

Exp:0

Version: V01

**TRIAL EXHIBIT 72.S-2**

**317**

Officer

MU3162

Portal

Change Password

Help

Feedback

Logout

SFFD Production

Employee

Officer

Daily

Monthly

### PIO Briefing Search

Reset Search

Call Date

11/22/2007



Use Watch Dt?

Unit

T11



Inc No

Rows

50

### Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address	
073260270	07093837	11/22/07 21:17	BOX0	STREET BOX	18TH ST/MISSION ST	Create
073260265	07093834	11/22/07 21:08	SIB	SMOKEIN BUILDING	672 PRECITA AV	Create
073260190	07093777	11/22/07 16:28	BOX0	STREET BOX	24TH ST/HOFFMAN AV	Create
073260181	07093770	11/22/07 16:03	SIB	SMOKEIN BUILDING	3010 CESAR CHAVEZ ST	Create
073260141	<b>07093735</b>	11/22/07 12:33	52B2S	SNGL RES ALARM	1613 NOE ST	Create

1 - 5



1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE					07093735	0	V01	26		District 06
38005	CA										
INCIDENT DATE	ALARM TIME	ARRIVALTIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO			
11/22/2007	11/22/07 12:33	11/22/07 12:37	11/22/07 12:41	B06	JOHNSON,RICHARD I		None				
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS			
1 - Street address		1613 Noe St.				-	94114	1			
INCIDENT TYPE			ACTIONS TAKEN								
113 - Cooking fire, confined to container			86 - Investigate								
RESOURCES			ESTIMATED LOSSES AND VALUES				CASUALTIES				
	APPARATUS	PERSONNEL	LOSSES	PROPERTY			DEATHS	INJURIES			
SUPPRESSION	3	10		CONTENTS	25	FIRE SERVICE	0	0			
EMS	0	0	VALUE	PROPERTY		CIVILIAN	0	0			
OTHER	0	0		CONTENTS	25						
MIXED USE PROPERTY		PROPERTY USE		DETECTOR			HAZARDOUS MATERIALS RELEASE				
		429 - Multifamily dwellings		1 - Detector alerted occupants							
2-FIRE											
PROPERTY DETAILS				ON-SITE MATERIALS				STORAGE USE			
# RESIDENTIAL UNITS	NOT RESIDENTIAL?										
0											
# BUILDING INVOLVE	NO BLD INVOLVED?										
0											
# ACRES BURNED	LESS THAN ONE?										
0											
AREA OF ORIGIN		HEAT SOURCE		ITEM FIRST IGNITED			TYPE OF MATERIAL FIRST IGNITED				
24 - Cooking area, kitchen		81 - Heat; direct flame or convection		76 - Cooking materials, inc. Edible materi							
CAUSE OF IGNITION		FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION					
2 - Unintentional		53 - Equipment unattended				N - None					
AGE	IF EQUIPMENT	TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER				
0	INVOLVED IN IGNITION										
SEX											
FIRE SUPPRESSION FACTORS		EQUIPMENT PORTABILITY		MOBILE PROPERTY TYPE			MOBILE PROPERTY MAKE				
		MOBILE PROPERTY INVOLVED		MODEL	YEAR	LICENSE PLATE NO	STATE	VIN			
3-STRUCTURE FIRE											
STRUCTURE TYPE		BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD	
FIRE DAMAGE		STORIES DAMAGED BY FLAME			NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE			
		MINOR	SIGNIF.	HEAVY	EXTR.						
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION	EFFECTIVENESS			FAILURE REASON			
AES PRESENCE		AES TYPE	AES OPERATION		AES FAILURE			#SPRINK. HEADS			
1S - NARRATIVE											
								JOHNSON,RICHARD I		11/22/07 15:48	
Called for alarm activation. Upon arrival Batt 6 determined this to be burnt food in oven. System reset. Cxld.											

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: JOHNSON,RICHARD I

Co.: B07 Date Printed: 03/19/2022 Incident No: 07093735 Exp:0 Version: V01

TRIAL EXHIBIT 72.T-2

319

Officer

MU3162

Portal

Change Password

Help

Feedback

Logout

SFFD Production

Employee

Officer

Daily

Monthly

PIO Briefing Search

Reset Search

**Call Date**  
**Use Watch Dt?** 
**Unit**  
**Inc No** 
**Rows**

Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address	
073280337	07094388	11/24/07 22:46	13C1	DIABET PT UNCONC	1358 SOUTH VAN NESS AV	Create
073280256	<b>07094317</b>	11/24/07 18:10	52B1	MLTP RESID ALARM	350 LIBERTY ST	Create
073280228	07094293	11/24/07 16:56	ALG	AUTO LEAKING GAS	1435 SHOTWELL ST	Create
073280202	07094273	11/24/07 15:30	SIB	SMOKEIN BUILDING	819 VALENCIA ST	Create
073280177	07094252	11/24/07 14:00	10C2	CHEST PAIN CARDI	18TH ST/GUERRERO ST	Create
073280147	07094228	11/24/07 12:26	WRD	WIRE DOWN/ARCING	3928 20TH ST	Create
073280078	07094186	11/24/07 08:42	12D3E	SZR-IREG BRE EPI	24TH ST/MISSION ST	Create
073280051	07094169	11/24/07 03:54	66A1	INVESTIGATE ODOR	90 LEESE ST	Create

1 - 8

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE					07094317	0	V01	11		District 06
38005	CA										
INCIDENT DATE	ALARM TIME	ARRIVAL TIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO			
11/24/2007	11/24/07 18:10	11/24/07 18:15	11/24/07 18:29	E11	ABBOTT, THOMAS F		None				
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS			
1 - Street address		350 Liberty St.				-	94110	1			
INCIDENT TYPE				ACTIONS TAKEN							
113 - Cooking fire, confined to container				12 - Salvage & overhaul				51 - Ventilate			
RESOURCES			ESTIMATED LOSSES AND VALUES				CASUALTIES				
	APPARATUS	PERSONNEL	LOSSES	PROPERTY			DEATHS	INJURIES			
SUPPRESSION	3	10		CONTENTS	100	FIRE SERVICE	0	0			
EMS	0	0	VALUE	PROPERTY		CIVILIAN	0	0			
OTHER	0	0		CONTENTS	100,000						
MIXED USE PROPERTY		PROPERTY USE			DETECTOR		HAZARDOUS MATERIALS RELEASE				
		419 - 1 or 2 family dwelling			1 - Detector alerted occupants						
2-FIRE											
PROPERTY DETAILS				ON-SITE MATERIALS				STORAGE USE			
# RESIDENTIAL UNITS		NOT RESIDENTIAL?		-							
# BUILDING INVOLVE	0	NO BLD INVOLVED?		-							
# ACRES BURNED	0	LESS THAN ONE?		-							
AREA OF ORIGIN		HEAT SOURCE			ITEM FIRST IGNITED		TYPE OF MATERIAL FIRST IGNITED				
24 - Cooking area, kitchen		81 - Heat; direct flame or convection			76 - Cooking materials, inc. Edible materi						
CAUSE OF IGNITION		FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION					
2 - Unintentional		53 - Equipment unattended				N - None					
AGE	0	IF EQUIPMENT		TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER		
SEX	-	INVOLVED IN IGNITION		-	-	-	-	-	-		
FIRE SUPPRESSION FACTORS		EQUIPMENT PORTABILITY			MOBILE PROPERTY TYPE			MOBILE PROPERTY MAKE			
		MOBILE PROPERTY INVOLVED			MODEL	YEAR	LICENSE PLATE NO	STATE	VIN		
3-STRUCTURE FIRE											
STRUCTURE TYPE		BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD	
FIRE DAMAGE		STORIES DAMAGED BY FLAME			NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE			
		MINOR	SIGNIF.	HEAVY	EXTR.						
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION	EFFECTIVENESS			FAILURE REASON			
AES PRESENCE		AES TYPE		AES OPERATION		AES FAILURE		#SPRINK. HEADS			
1S - NARRATIVE											
ABBOTT, THOMAS F								12/01/07 09:33			
While cooking food on the stove, occupant became distracted while watching children. Food burn on stove setting off alarm.											

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: ABBOTT, THOMAS F Co.: B06 Date Printed: 03/19/2022 Incident No: 07094317 Exp:0 Version: V01

TRIAL EXHIBIT 72.U-2

321

Officer

MU3162 Portal Change Password Help Feedback Logout SFFD Production

Employee Officer Daily Monthly

PIO Briefing Search

Reset Search

Call Date: 12/14/2007  Use Watch Dt?

Unit: T11  Inc No:  Rows: 50

Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address	
073480379	07100129	12/14/07 20:30	BOX0	STREET BOX	24TH ST/MISSION ST	Create
073480376	07100126	12/14/07 20:22	BOX0	STREET BOX	24TH ST/MISSION ST	Create
073480373	07100124	12/14/07 20:12	BOX0	STREET BOX	3300 CESAR CHAVEZ ST	Create
073480371	07100122	12/14/07 20:03	BOX0	STREET BOX	3200 FOLSOM ST	Create
073480292	<b>07100055</b>	12/14/07 16:43	FIB	FIRE IN BUILDING	282 BRIGHT ST	Create
073480173	07099966	12/14/07 11:20	31D1	UNCONSCIOUS	NOE ST/JERSEY ST	Create
073480140	07099940	12/14/07 10:33	BOX0	STREET BOX	26TH ST/MISSION ST	Create

1 - 7

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE					07100055	0	V01	33		District 09
38005	CA					INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO		
INCIDENT DATE	ALARM TIME	ARRIVAL TIME	CLEAR TIME	FIRST UNIT	EVART,BRETT F		None				
12/14/2007	12/14/07 16:43	12/14/07 16:47	12/14/07 17:03	E33							
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS			
1 - Street address		282 Bright St.				-	94112	1			
INCIDENT TYPE				ACTIONS TAKEN							
118 - Trash or rubbish fire, contained				86 - Investigate							
RESOURCES			ESTIMATED LOSSES AND VALUES				CASUALTIES				
	APPARATUS	PERSONNEL	LOSSES	PROPERTY		DEATHS	INJURIES				
SUPPRESSION	11	33		CONTENTS		0	0				
EMS	0	0	VALUE	PROPERTY		0	0				
OTHER	0	0		CONTENTS							
MIXED USE PROPERTY		PROPERTY USE		DETECTOR		HAZARDOUS MATERIALS RELEASE					
		419 - 1 or 2 family dwelling		U - Unknown							
2-FIRE											
PROPERTY DETAILS					ON-SITE MATERIALS			STORAGE USE			
# RESIDENTIAL UNITS	NOT RESIDENTIAL?										
# BUILDING INVOLVE	NO BLD INVOLVED?										
# ACRES BURNED	LESS THAN ONE?										
AREA OF ORIGIN		HEAT SOURCE		ITEM FIRST IGNITED		TYPE OF MATERIAL FIRST IGNITED					
CAUSE OF IGNITION		FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION					
AGE	IF EQUIPMENT INVOLVED IN IGNITION	TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER				
SEX											
FIRE SUPPRESSION FACTORS		EQUIPMENT PORTABILITY		MOBILE PROPERTY TYPE		MOBILE PROPERTY MAKE					
		MOBILE PROPERTY INVOLVED		MODEL	YEAR	LICENSE PLATE NO	STATE	VIN			
3-STRUCTURE FIRE											
STRUCTURE TYPE	BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD		
FIRE DAMAGE	STORIES DAMAGED BY FLAME			NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE				
	MINOR	SIGNIF.	HEAVY	EXTR.							
DETECTOR PRESENCE	TYPE	POWER SUPPLY	OPERATION		EFFECTIVENESS		FAILURE REASON				
AES PRESENCE	AES TYPE	AES OPERATION		AES FAILURE		#SPRINK. HEADS					
1S - NARRATIVE						EVART,BRETT F		12/14/07 17:21			
TRASH BURN IN BACK YARD; ADVISED R/P TRAN LONG TO GET PERMIT TO CONTINUE.											

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: EVART,BRETT F Co.: B09 Date Printed: 03/20/2022 Incident No: 07100055 Exp:0 Version: V01

TRIAL EXHIBIT 72.V-2

323

Officer

MU3162

Portal

Change Password

Help

Feedback

Logout

SFFD Production

Employee

Officer

Daily

Monthly

### PIO Briefing Search

Reset Search

Call Date	Use Watch Dt?	Unit	Inc No	Rows
12/24/2007	<input type="checkbox"/>	T11		50

### Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address	
073580328	07103135	12/24/07 20:22	52B2S	SNGL RES ALARM	477 LIBERTY ST	Create
073580187	<b>07103019</b>	12/24/07 14:11	FIB	FIRE IN BUILDING	142 STAPLES AV	Create

1 - 2

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT	
FDID	STATE					07103019	0	V01	15		District 09	
38005	CA											
INCIDENT DATE	ALARM TIME	ARRIVAL TIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO				
12/24/2007	12/24/07 14:11	12/24/07 14:16	12/24/07 14:21	E15	CONLEY-BODIN,CAROL L		None					
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS				
1 - Street address		142 Staples Av.				-	94112	1				
INCIDENT TYPE				ACTIONS TAKEN								
113 - Cooking fire, confined to container				86 - Investigate								
RESOURCES			ESTIMATED LOSSES AND VALUES			CASUALTIES						
	APPARATUS	PERSONNEL	LOSSES	PROPERTY		DEATHS	INJURIES					
SUPPRESSION	9	31		CONTENTS	50	FIRE SERVICE	0	0				
EMS	1	2	VALUE	PROPERTY		CIVILIAN	0	0				
OTHER	0	0		CONTENTS	50							
MIXED USE PROPERTY		PROPERTY USE			DETECTOR		HAZARDOUS MATERIALS RELEASE					
		419 - 1 or 2 family dwelling			U - Unknown							
2-FIRE												
PROPERTY DETAILS				ON-SITE MATERIALS				STORAGE USE				
# RESIDENTIAL UNITS	NOT RESIDENTIAL?											
# BUILDING INVOLVE	0	NO BLD INVOLVED?										
# ACRES BURNED	0	LESS THAN ONE?										
AREA OF ORIGIN			HEAT SOURCE			ITEM FIRST IGNITED			TYPE OF MATERIAL FIRST IGNITED			
24 - Cooking area, kitchen			81 - Heat; direct flame or convection			26 - Household utensils			57 - Food/starch, not fat/grease (code 31)			
CAUSE OF IGNITION			FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION					
2 - Unintentional			52 - Accidentally turned on, not turned of				N - None					
AGE	0	IF EQUIPMENT		TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER			
SEX	-	INVOLVED IN IGNITION		-	-	-	-	-	-			
FIRE SUPPRESSION FACTORS			EQUIPMENT PORTABILITY			MOBILE PROPERTY TYPE			MOBILE PROPERTY MAKE			
			MOBILE PROPERTY INVOLVED			MODEL	YEAR	LICENSE PLATE NO	STATE	VIN		
						-	-	-	-	-		
3-STRUCTURE FIRE												
STRUCTURE TYPE		BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD		
FIRE DAMAGE		STORIES DAMAGED BY FLAME			NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE				
		MINOR	SIGNIF.	HEAVY	EXTR.							
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION		EFFECTIVENESS		FAILURE REASON				
AES PRESENCE		AES TYPE		AES OPERATION		AES FAILURE		#SPRINK. HEADS				
1S - NARRATIVE										CONLEY-BODIN,CAROL		12/24/07 15:43
burnt food.												

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: CONLEY-BODIN,CAROL L Co.: B09 Date Printed: 03/20/2022 Incident No: 07103019 Exp:0 Version: V01

TRIAL EXHIBIT 72.W-2

325

Officer

MU3162

Portal

Change Password

Help

Feedback

Logout

SFFD Production

Employee

Officer

Daily

Monthly

PIO Briefing Search

Reset Search

Use Watch Dt?

Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address	
073620367	07104268	12/28/07 22:38	6D1	SEV RESP DISTRES	1400 GEARY BL	Create
073620353	07104255	12/28/07 21:33	31D1	UNCONSCIOUS	POLK ST/EDDY ST	Create
073620346	07104249	12/28/07 20:48	6D1	SEV RESP DISTRES	909 GEARY ST	Create
073620327	07104238	12/28/07 20:04	67B1	SM OUTSIDE FIRE	TURK ST/HYDE ST	Create
073620322	07104233	12/28/07 19:36	10D3	CHEST PAIN CARDI	44 MCALLISTER ST	Create
073620278	07104197	12/28/07 17:16	31D1	UNCONSCIOUS	390 GOLDEN GATE AV	Create
073620272	07104191	12/28/07 16:58	10D3	CHEST PAIN CARDI	1035 VAN NESS AV	Create
073620249	07104174	12/28/07 15:18	33D1	CODE 3 TRANSFER	1333 BUSH ST	Create
073620239	07104166	12/28/07 14:48	26D1	NOT ALERT	364 EDDY ST	Create
073620185	07104124	12/28/07 11:54	10D3	CHEST PAIN CARDI	440 EDDY ST	Create
073620180	07104119	12/28/07 11:51	SIB	SMOKEIN BUILDING	1001 FRANKLIN ST	Create
073620175	07104115	12/28/07 11:37	23C0I	POISON-CHRLE O/R	357 ELLIS ST	Create
073620112	07104070	12/28/07 09:00	6D1A	SOB-ASTHMA	640 EDDY ST	Create
073620105	07104065	12/28/07 08:30	26D1	NOT ALERT	390 GOLDEN GATE AV	Create
073620103	07104063	12/28/07 08:24	52C4A	COMMERC BLG ALRM	770 VAN NESS AV	Create
073620088	07104053	12/28/07 07:13	BOX0	STREET BOX	TURK ST/HYDE ST	Create
073620082	07104048	12/28/07 06:57	10C2	CHEST PAIN CARDI	711 EDDY ST	Create
073620061	07104036	12/28/07 05:07	31D1	UNCONSCIOUS	1036 MARKET ST	Create
073620022	07104010	12/28/07 01:33	29D2C	MVA-VS PED	JONES ST/ELLIS ST	Create
073620014	07104006	12/28/07 01:17	XM	CODE 3 MEDIC	GEARY ST/TAYLOR ST	Create



1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE					07104119	0	V01	03		District 22
38005	CA										
INCIDENT DATE	ALARM TIME	ARRIVAL TIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO			
12/28/2007	12/28/07 11:51	12/28/07 11:52	12/28/07 12:05	B02	ERTOLA, CHADWICK C		None				
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS			
1 - Street address		1001 Franklin St.				8K	94102	1			
INCIDENT TYPE			ACTIONS TAKEN								
113 - Cooking fire, confined to container			12 - Salvage & overhaul			86 - Investigate					
RESOURCES		ESTIMATED LOSSES AND VALUES				CASUALTIES					
	APPARATUS	PERSONNEL	LOSSES	PROPERTY		DEATHS	INJURIES				
SUPPRESSION	9	32		CONTENTS	1,500	FIRE SERVICE	0	0			
EMS	0	0	VALUE	PROPERTY		CIVILIAN	0	0			
OTHER	0	0		CONTENTS	5,000						
MIXED USE PROPERTY		PROPERTY USE		DETECTOR			HAZARDOUS MATERIALS RELEASE				
		429 - Multifamily dwellings		1 - Detector alerted occupants							
2-FIRE											
PROPERTY DETAILS				ON-SITE MATERIALS				STORAGE USE			
# RESIDENTIAL UNITS		NOT RESIDENTIAL?		-							
# BUILDING INVOLVE	0	NO BLD INVOLVED?		-							
# ACRES BURNED	0	LESS THAN ONE?		-							
AREA OF ORIGIN		HEAT SOURCE		ITEM FIRST IGNITED		TYPE OF MATERIAL FIRST IGNITED					
24 - Cooking area, kitchen		12 - Radiated/conducted heat operating equ		76 - Cooking materials, inc. Edible materi							
CAUSE OF IGNITION		FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION					
2 - Unintentional		53 - Equipment unattended				N - None					
AGE	0	IF EQUIPMENT		TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER		
SEX	-	INVOLVED IN IGNITION		646 -	-	-	-	-	- Electrical line voltage (>= 50 vol)		
FIRE SUPPRESSION FACTORS		EQUIPMENT PORTABILITY		MOBILE PROPERTY TYPE			MOBILE PROPERTY MAKE				
		2 - Stationary									
		MOBILE PROPERTY INVOLVED		MODEL	YEAR	LICENSE PLATE NO	STATE	VIN			
3-STRUCTURE FIRE											
STRUCTURE TYPE		BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD	
FIRE DAMAGE		STORIES DAMAGED BY FLAME			NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE			
		MINOR	SIGNIF.	HEAVY	EXTR.						
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION		EFFECTIVENESS		FAILURE REASON			
AES PRESENCE		AES TYPE		AES OPERATION		AES FAILURE		#SPRINK. HEADS			
1S - NARRATIVE											
										ERTOLA, CHADWICK C	12/28/07 17:25
<p>Reported as SIB, arrived to find building not in alarm as employee exited elevator and occupant entered elevator to return to her room, 8K. Occupant stated she left pot on stove when she left her unit. Light smoke in unit, windows open, pot had been removed to exterior deck and doused with water by employee. Found melted aluminum had dripped onto stove, floor and carpet, causing scorch burns. Advised management of required repairs to unit 8K floors due to moving pot with molten metal dripping and cautioned against moving any pot on fire due to burn potential, but to smother with lid only and turn off heat.</p>											

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: ERTOLA, CHADWICK C Co.: B02 Date Printed: 03/20/2022 Incident No: 07104119 Exp: 0 Version: V01

TRIAL EXHIBIT 72.X-2

327

Officer

MU3162 Portal Change Password Help Feedback Logout SFFD Production

Employee v | Officer v | Daily v | Monthly v |

PIO Briefing Search

Reset Search

<b>Call Date</b>	<b>Use Watch Dt?</b>	<b>Unit</b>	<b>Inc No</b>	<b>Rows</b>
01/11/2008	<input type="checkbox"/>	T11		50

Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address	
080110401	08003856	01/11/08 21:22	SIB	SMOKEIN BUILDING	859 PRAGUE ST	Create

1 - 1

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE					08003856	0	V01	43		District 09
38005	CA										
INCIDENT DATE	ALARM TIME	ARRIVAL TIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO			
01/11/2008	01/11/08 21:22	01/11/08 21:25	01/11/08 22:11	E43	PEMBERTON, DENISE J		None				
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS			
1 - Street address		859 Prague St.				-	94112	1			
INCIDENT TYPE				ACTIONS TAKEN							
118 - Trash or rubbish fire, contained				51 - Ventilate		52 - Forcible entry		86 - Investigate			
RESOURCES			ESTIMATED LOSSES AND VALUES				CASUALTIES				
	APPARATUS	PERSONNEL	LOSSES	PROPERTY	200		DEATHS	INJURIES			
SUPPRESSION	3	11		CONTENTS	200	FIRE SERVICE	0	0			
EMS	0	0	VALUE	PROPERTY	200	CIVILIAN	0	0			
OTHER	0	0		CONTENTS	200						
MIXED USE PROPERTY		PROPERTY USE		DETECTOR			HAZARDOUS MATERIALS RELEASE				
		213 - Elem. school, inc. kindergarten		1 - Detector alerted occupants							
2-FIRE											
PROPERTY DETAILS				ON-SITE MATERIALS				STORAGE USE			
# RESIDENTIAL UNITS		NOT RESIDENTIAL?		-							
# BUILDING INVOLVE	0	NO BLD INVOLVED?		-							
# ACRES BURNED	0	LESS THAN ONE?		-							
AREA OF ORIGIN		HEAT SOURCE		ITEM FIRST IGNITED			TYPE OF MATERIAL FIRST IGNITED				
46 - Chute/container - trash, rubbish, was		40 - Hot or smoldering object, other		96 - Rubbish, trash, or waste							
CAUSE OF IGNITION				FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION			
U - Cause undetermined after investigation				UU - Undetermined				N - None			
AGE	IF EQUIPMENT INVOLVED IN IGNITION	TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER				
0											
SEX											
FIRE SUPPRESSION FACTORS		EQUIPMENT PORTABILITY		MOBILE PROPERTY TYPE			MOBILE PROPERTY MAKE				
MOBILE PROPERTY INVOLVED				MODEL	YEAR	LICENSE PLATE NO	STATE	VIN			
3-STRUCTURE FIRE											
STRUCTURE TYPE	BUILDING STATUS	STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD			
FIRE DAMAGE	STORIES DAMAGED BY FLAME				NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE			
	MINOR	SIGNIF.	HEAVY	EXTR.							
DETECTOR PRESENCE	TYPE	POWER SUPPLY	OPERATION	EFFECTIVENESS			FAILURE REASON				
AES PRESENCE	AES TYPE	AES OPERATION		AES FAILURE			#SPRINK. HEADS				
1S - NARRATIVE											
										PEMBERTON, DENISE J	
										01/12/08 07:20	
upon arrival alarm was sounding fire already extinguished due to sprinkler activation shut off water changed sprinkler head refilled system reset system											

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: PEMBERTON, DENISE J      Co.: B09      Date Printed: 03/20/2022      Incident No: 08003856      Exp:0      Version: V01

TRIAL EXHIBIT 73.A-2

329

Employee > Officer > Daily > Monthly >

### PIO Briefing Search

Reset Search

Call Date: 01/14/2008  
 Use Watch: T11  
 Unit: T11  
 Dt?:   
 Inc No:   
 Rows: 50

### Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address
080140381	08004763	01/14/08 20:15	31D1	UNCONSCIOUS	2766 MISSION ST Create
080140307	08004700	01/14/08 16:38	A1	BUILD ALARM BOX	15 RED ROCK WY Create
080140300	08004694	01/14/08 16:26	53A2	HOMELock IN/OUT	49 VALLEY ST Create
080140269	08004673	01/14/08 15:34	SIB	SMOKEIN BUILDING	1915 25TH ST Create
080140217	08004637	01/14/08 13:59	VF	VEHICLE FIRE	CORTLAND AV/ANDOVER ST Create

1 - 5

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE					08004637	0	V01	32		District 06
38005	CA										
INCIDENT DATE	ALARM TIME	ARRIVALTIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO			
01/14/2008	01/14/08 13:59	01/14/08 14:02	01/14/08 14:47	E32	TAM,HENRY		None				
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS			
1 - Street address		Cortland Av. / Andover St.				-	94110	1			
INCIDENT TYPE			ACTIONS TAKEN								
131 - Passenger vehicle fire			11 - Extinguish			86 - Investigate					
RESOURCES			ESTIMATED LOSSES AND VALUES			CASUALTIES					
	APPARATUS	PERSONNEL	LOSSES	PROPERTY	1,000	DEATHS		INJURIES			
SUPPRESSION	2	6		CONTENTS	500	FIRE SERVICE		0		0	
EMS	0	0	VALUE	PROPERTY	2,000	CIVILIAN		0		0	
OTHER	0	0		CONTENTS	500						
MIXED USE PROPERTY		PROPERTY USE		DETECTOR		HAZARDOUS MATERIALS RELEASE					
		962 - Residential street, road or residential dr									
2-FIRE											
PROPERTY DETAILS				ON-SITE MATERIALS				STORAGE USE			
# RESIDENTIAL UNITS	NOT RESIDENTIAL?										
# BUILDING INVOLVE	NO BLD INVOLVED?										
# ACRES BURNED	LESS THAN ONE?										
AREA OF ORIGIN		HEAT SOURCE		ITEM FIRST IGNITED		TYPE OF MATERIAL FIRST IGNITED					
80 - Vehicle area, other		60 - Heat; other open flame/smoking materi		73 - Heavy vegetation - no crops, inc. tre							
CAUSE OF IGNITION		FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION					
1 - Intentional		11 - Abandoned or discarded materials or p				N - None					
AGE	0	IF EQUIPMENT INVOLVED IN IGNITION		TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER		
SEX	-										
FIRE SUPPRESSION FACTORS		EQUIPMENT PORTABILITY		MOBILE PROPERTY TYPE		MOBILE PROPERTY MAKE					
		MOBILE PROPERTY INVOLVED		MODEL	YEAR	LICENSE PLATE NO	STATE	VIN			
		1 - Not involved in ignition, but burned									
3-STRUCTURE FIRE											
STRUCTURE TYPE		BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD	
FIRE DAMAGE		STORIES DAMAGED BY FLAME			NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE			
		MINOR	SIGNIF.	HEAVY	EXTR.						
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION	EFFECTIVENESS			FAILURE REASON			
AES PRESENCE		AES TYPE	AES OPERATION		AES FAILURE		#SPRINK. HEADS				
1S - NARRATIVE											
							TAM,HENRY		01/14/08 17:11		
Intentionally set fire Christmas tree that was placed unereath vehicle. Vehicle sustained burn and water damage. 1990 Ford club wagon. Ca. license 5TVJ317. SFPD 080-047-680.											

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: TAM,HENRY Co.: AR1 Date Printed: 03/21/2022 Incident No: 08004637 Exp:0 Version: V01

TRIAL EXHIBIT 73.B-2

331

Employee Officer Daily Monthly

PIO Briefing Search

Reset Search

Call Date 01/29/2008 Use Watch Dt? Unit M38 Inc No Rows 50

Incidents

Table with 7 columns: Call No, Inc No, Rx DtTm, Call Type, Call Descr, Address, and a 'Create' link. It lists 20 incident records with details such as call numbers, times, and descriptions.

1 - 20

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT			INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE				08009152	0	V01	03		District 22
38005	CA									
INCIDENT DATE	ALARM TIME	ARRIVAL TIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO		
01/29/2008	01/29/08 08:05	01/29/08 08:09	01/29/08 08:21	T03	BURKE,KEVIN M		None			
LOCATION TYPE		INCIDENT ADDRESS / LOCATION			APARTMENT	ZIP CODE		ALARMS		
1 - Street address		240 Hyde St.			208	94109		1		
INCIDENT TYPE				ACTIONS TAKEN						
118 - Trash or rubbish fire, contained				86 - Investigate						
RESOURCES			ESTIMATED LOSSES AND VALUES			CASUALTIES				
	APPARATUS	PERSONNEL	LOSSES	PROPERTY		DEATHS	INJURIES			
SUPPRESSION	9	27		CONTENTS		0	0			
EMS	0	0	VALUE	PROPERTY		0	0			
OTHER	0	0		CONTENTS						
MIXED USE PROPERTY		PROPERTY USE		DETECTOR		HAZARDOUS MATERIALS RELEASE				
		429 - Multifamily dwellings		U - Unknown						
2-FIRE										
PROPERTY DETAILS				ON-SITE MATERIALS				STORAGE USE		
# RESIDENTIAL UNITS	NOT RESIDENTIAL?									
# BUILDING INVOLVE	NO BLD INVOLVED?									
# ACRES BURNED	LESS THAN ONE?									
AREA OF ORIGIN		HEAT SOURCE		ITEM FIRST IGNITED		TYPE OF MATERIAL FIRST IGNITED				
CAUSE OF IGNITION		FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION				
AGE	IF EQUIPMENT INVOLVED IN IGNITION	TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER			
SEX										
FIRE SUPPRESSION FACTORS		EQUIPMENT PORTABILITY		MOBILE PROPERTY TYPE		MOBILE PROPERTY MAKE				
		MOBILE PROPERTY INVOLVED		MODEL	YEAR	LICENSE PLATE NO	STATE	VIN		
3-STRUCTURE FIRE										
STRUCTURE TYPE	BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD	
FIRE DAMAGE		STORIES DAMAGED BY FLAME			NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE		
		MINOR	SIGNIF.	HEAVY	EXTR.					
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION	EFFECTIVENESS		FAILURE REASON			
AES PRESENCE		AES TYPE	AES OPERATION		AES FAILURE		#SPRINK. HEADS			
1S - NARRATIVE										
							BURKE,KEVIN M		01/29/08 19:10	
Paper fire in #208. Contained.										

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: BURKE,KEVIN M Co.: B02 Date Printed: 03/21/2022 Incident No: 08009152 Exp:0 Version: V01

TRIAL EXHIBIT 73.C-2

333

Employee > Officer > Daily > Monthly >

PIO Briefing Search

Reset Search

Call Date: 03/11/2008  
 Use Watch: M38  
 Unit: M38  
 Inc No: [ ]  
 Rows: 50

Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address	Action
080710409	08022235	03/11/08 21:51	MED	MEDICAL CALL - INITIAL	1500 FILLMORE ST	Create
080710406	08022232	03/11/08 21:42	31D1	UNCONSCIOUS	3601 LYON ST	Create
080710367	08022204	03/11/08 19:46	10D3	CHEST PAIN CARDI	1555 UNION ST	Create
080710357	08022193	03/11/08 19:14	27B2	EXTREMITY INJURY	1001 POTRERO AV	Create
080710328	08022173	03/11/08 18:09	27D2S	STABBING UNCON	745 KEARNY ST	Create
080710309	08022159	03/11/08 17:22	SIB	SMOKEIN BUILDING	1150 TURK ST	Create
080710301	08022152	03/11/08 16:57	SIB	SMOKEIN BUILDING	HOWARD ST/4TH ST	Create
080710270	08022132	03/11/08 15:52	18C3	POSS CVA	290 TURK ST	Create
080710179	08022071	03/11/08 12:06	33C6	CODE 3 TRANSFER	3698 CALIFORNIA ST	Create
080710165	08022059	03/11/08 11:04	29D2C	MVA-VS PED	COLUMBUS AV/GREEN ST	Create
080710124	08022037	03/11/08 09:52	30A1	MINOR INJURY	399 4TH ST	Create
080710103	08022024	03/11/08 09:10	26D1	NOT ALERT	330 ELLIS ST	Create
080710072	08022009	03/11/08 07:51	10C1	CHEST PAIN SOB	24 FORTUNA AV	Create



1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE					08022159	0	V01	05		District 22
38005	CA										
INCIDENT DATE	ALARM TIME	ARRIVALTIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO			
03/11/2008	03/11/08 17:22	03/11/08 17:24	03/11/08 17:35	D2	SMITH,STEPHEN J		None				
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS			
1 - Street address		1150 Turk St.				-	94115	1			
INCIDENT TYPE				ACTIONS TAKEN							
113 - Cooking fire, confined to container				86 - Investigate							
RESOURCES			ESTIMATED LOSSES AND VALUES				CASUALTIES				
	APPARATUS	PERSONNEL	LOSSES	PROPERTY		DEATHS	INJURIES				
SUPPRESSION	8	20		CONTENTS	10	FIRE SERVICE	0	0			
EMS	0	0	VALUE	PROPERTY		CIVILIAN	0	0			
OTHER	0	0		CONTENTS	10						
MIXED USE PROPERTY		PROPERTY USE		DETECTOR			HAZARDOUS MATERIALS RELEASE				
		429 - Multifamily dwellings		1 - Detector alerted occupants							
2-FIRE											
PROPERTY DETAILS					ON-SITE MATERIALS			STORAGE USE			
# RESIDENTIAL UNITS		NOT RESIDENTIAL?		-							
# BUILDING INVOLVE	0	NO BLD INVOLVED?		-							
# ACRES BURNED	0	LESS THAN ONE?		-							
AREA OF ORIGIN		HEAT SOURCE			ITEM FIRST IGNITED		TYPE OF MATERIAL FIRST IGNITED				
24 - Cooking area, kitchen		00 - Heat source: other			76 - Cooking materials, inc. Edible materi						
CAUSE OF IGNITION		FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION					
2 - Unintentional		12 - Heat source too close to combustibles				3 - Unattended or unsupervised person					
AGE	0	IF EQUIPMENT INVOLVED IN IGNITION		TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER		
SEX	-			-	-	-	-	-			
FIRE SUPPRESSION FACTORS			EQUIPMENT PORTABILITY			MOBILE PROPERTY TYPE			MOBILE PROPERTY MAKE		
			MOBILE PROPERTY INVOLVED			MODEL	YEAR	LICENSE PLATE NO	STATE	VIN	
						-	-	-	-	-	
3-STRUCTURE FIRE											
STRUCTURE TYPE		BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD	
FIRE DAMAGE		STORIES DAMAGED BY FLAME			NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE			
		MINOR	SIGNIF.	HEAVY	EXTR.						
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION		EFFECTIVENESS		FAILURE REASON			
AES PRESENCE		AES TYPE		AES OPERATION		AES FAILURE		#SPRINK. HEADS			
1S - NARRATIVE											
								SMITH,STEPHEN J		03/11/08 21:21	
burnt food											

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: SMITH,STEPHEN J

Co.: B04 Date Printed: 03/21/2022 Incident No: 08022159 Exp:0 Version: V01

TRIAL EXHIBIT 73.D-2

335

Officer

Employee > Officer > Daily > Monthly >

### PIO Briefing Search

Call Date: 03/16/2008  Use Watch:  Unit: M14  Inc No:  Rows: 50

Reset Search

### Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address	
080760431	08023720	03/16/08 22:49	WF	WORKING FIRE	479 33RD AV	Create
080760401	08023696	03/16/08 21:11	29B1	MVA-INJURIES	POST ST/BAKER ST	Create
080760348	08023653	03/16/08 18:24	32D1	MAN DOWN-RESUS	JUDAH ST/46TH AV	Create
080760329	08023634	03/16/08 17:39	17D1	FALL W/TRAUMA	BUCHANAN ST/JUNION ST	Create
080760289	08023603	03/16/08 16:30	4B1A	ASSAULT	700 STANYAN ST	Create
080760286	08023598	03/16/08 16:24	XM	CODE 3 MEDIC	LINCOLN BL/MERCHANT RD	Create
080760285	08023597	03/16/08 16:21	XR	CODE 2 ALS AMB	100 GOLDEN GATE BR TOLL PZ	Create
080760274	08023589	03/16/08 16:05	29D2B	MVA-VS MC/BIKE	25TH AV/CALIFORNIA ST	Create
080760260	<b>08023578</b>	03/16/08 15:35	FIB	FIRE IN BUILDING	7630 GEARY BL	Create
080760213	08023540	03/16/08 13:18	30A1	MINOR INJURY	1610 BATTERY CHAMBERLIN RD	Create
080760106	08023469	03/16/08 08:42	26A1	SICK-EVAL	6621 CALIFORNIA ST	Create
080760030	08023419	03/16/08 01:43	9E2	RESUSCITATION	4652 GEARY BL	Create
080760011	08023403	03/16/08 00:48	XM	CODE 3 MEDIC	2139 BALBOA ST	Create

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE					08023578	0	V01	34		District 07
38005	CA										
INCIDENT DATE	ALARM TIME	ARRIVAL TIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO			
03/16/2008	03/16/08 15:35	03/16/08 15:40	03/16/08 15:56	E34	NOLAN,VINCENT J		None				
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS			
1 - Street address		7630 Geary Bl.				-	94121	1			
INCIDENT TYPE			ACTIONS TAKEN								
113 - Cooking fire, confined to container			10 - Fire, other								
RESOURCES			ESTIMATED LOSSES AND VALUES				CASUALTIES				
	APPARATUS	PERSONNEL	LOSSES	PROPERTY			DEATHS	INJURIES			
SUPPRESSION	3	10		CONTENTS	50	FIRE SERVICE	0	0			
EMS	0	0	VALUE	PROPERTY		CIVILIAN	0	0			
OTHER	0	0		CONTENTS	20,000						
MIXED USE PROPERTY		PROPERTY USE			DETECTOR			HAZARDOUS MATERIALS RELEASE			
		429 - Multifamily dwellings			1 - Detector alerted occupants						
2-FIRE											
PROPERTY DETAILS				ON-SITE MATERIALS				STORAGE USE			
# RESIDENTIAL UNITS		NOT RESIDENTIAL?		-							
# BUILDING INVOLVE	0	NO BLD INVOLVED?		-							
# ACRES BURNED	0	LESS THAN ONE?		-							
AREA OF ORIGIN			HEAT SOURCE			ITEM FIRST IGNITED			TYPE OF MATERIAL FIRST IGNITED		
24 - Cooking area, kitchen			81 - Heat; direct flame or convection			76 - Cooking materials, inc. Edible materi					
CAUSE OF IGNITION			FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION				
2 - Unintentional			52 - Accidentally turned on, not turned of				N - None				
AGE	0	IF EQUIPMENT		TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER		
SEX	-	INVOLVED IN IGNITION		-	-	-	-	-	-		
FIRE SUPPRESSION FACTORS			EQUIPMENT PORTABILITY			MOBILE PROPERTY TYPE			MOBILE PROPERTY MAKE		
			MOBILE PROPERTY INVOLVED			MODEL	YEAR	LICENSE PLATE NO	STATE	VIN	
						-	-	-	-	-	
3-STRUCTURE FIRE											
STRUCTURE TYPE		BUILDING STATUS			STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD
FIRE DAMAGE		STORIES DAMAGED BY FLAME				NO SPREAD?	CONTRIB ITEM			CONTRIB TYPE	
		MINOR	SIGNIF.	HEAVY	EXTR.						
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION		EFFECTIVENESS			FAILURE REASON		
AES PRESENCE		AES TYPE		AES OPERATION		AES FAILURE			#SPRINK. HEADS		
1S - NARRATIVE											
								NOLAN,VINCENT J		03/16/08 17:16	
Burnt food in apartment 303. E34 investigated. Unable to reset the alarm system. Notice of correction issued.											

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: NOLAN,VINCENT J

Co.: B07 Date Printed: 03/21/2022 Incident No: 08023578 Exp:0 Version: V01

TRIAL EXHIBIT 73.E-2

337

Officer

Employee v Officer v Daily v Monthly v

PIO Briefing Search

Reset Search

Call Date: 03/31/2008

Use Watch:  Dt:

Unit: M38

Inc No:

Rows: 50

Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address	Create
080910359	08028090	03/31/08 22:03	31D1	UNCONSCIOUS	1405 VAN NESS AV	Create
080910338	08028073	03/31/08 20:36	SIB	SMOKEIN BUILDING	1425 TAYLOR ST	Create
080910332	08028067	03/31/08 20:14	XR	CODE 2 ALS AMB	100 MCALLISTER ST	Create
080910315	08028053	03/31/08 19:19	13C1	DIABET PT UNCONC	2819 BUSH ST	Create
080910282	08028024	03/31/08 17:07	23C2I	OVRDOSE-UNCON'	1000 SUTTER ST	Create
080910255	08028009	03/31/08 15:32	29B6	MVA-3RD PTY CALL	MARKET ST/2ND ST	Create
080910225	08027987	03/31/08 13:59	28C1U	STROKE-AMS	34 TURK ST	Create
080910186	08027961	03/31/08 12:45	9B1	OBVIOUS DOA	1258 PACIFIC AV	Create
080910169	08027947	03/31/08 12:06	33C6T	CODE 3 TRANSFER	2238 GEARY BL	Create
080910141	08027926	03/31/08 10:59	17A1	FALL-MINOR INJURY	1335 PACIFIC AV	Create
080910088	08027889	03/31/08 09:27	17B1	FALL W/TRAUMA	1147 PACIFIC AV	Create
080910073	08027881	03/31/08 08:34	18C4	HDACHE-SUDDEN	450 GOLDEN GATE AV	Create
080910054	08027872	03/31/08 07:33	33C5T	CODE 3 TRANSFER	3700 CALIFORNIA ST	Create

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT			INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE				08028073	0	V01	02		District 01
38005	CA									
INCIDENT DATE	ALARM TIME	ARRIVALTIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO		
03/31/2008	03/31/08 20:36	03/31/08 20:40	03/31/08 21:15	B01	CONLEY-BODIN,CAROL L		None			
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS		
1 - Street address		1425 Taylor St.				5TH	94109	1		
INCIDENT TYPE			ACTIONS TAKEN							
651 - Smoke scare, odor of smoke			86 - Investigate							
RESOURCES			ESTIMATED LOSSES AND VALUES			CASUALTIES				
	APPARATUS	PERSONNEL	LOSSES	PROPERTY		DEATHS	INJURIES			
SUPPRESSION	9	34		CONTENTS		0	0			
EMS	0	0	VALUE	PROPERTY		0	0			
OTHER	0	0		CONTENTS						
MIXED USE PROPERTY		PROPERTY USE		DETECTOR		HAZARDOUS MATERIALS RELEASE				
		429 - Multifamily dwellings								
2-FIRE										
PROPERTY DETAILS					ON-SITE MATERIALS			STORAGE USE		
# RESIDENTIAL UNITS	NOT RESIDENTIAL?									
# BUILDING INVOLVE	NO BLD INVOLVED?									
# ACRES BURNED	LESS THAN ONE?									
AREA OF ORIGIN		HEAT SOURCE		ITEM FIRST IGNITED		TYPE OF MATERIAL FIRST IGNITED				
CAUSE OF IGNITION			FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION			
AGE	IF EQUIPMENT INVOLVED IN IGNITION	TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER			
SEX										
FIRE SUPPRESSION FACTORS		EQUIPMENT PORTABILITY		MOBILE PROPERTY TYPE		MOBILE PROPERTY MAKE				
MOBILE PROPERTY INVOLVED			MODEL	YEAR	LICENSE PLATE NO	STATE	VIN			
3-STRUCTURE FIRE										
STRUCTURE TYPE		BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD
FIRE DAMAGE		STORIES DAMAGED BY FLAME			NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE		
		MINOR	SIGNIF.	HEAVY	EXTR.					
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION	EFFECTIVENESS			FAILURE REASON		
AES PRESENCE		AES TYPE	AES OPERATION		AES FAILURE		#SPRINK. HEADS			
1S - NARRATIVE										
Burnt food in unit 106						CONLEY-BODIN,CAROL		03/31/08 22:43		

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.  
 Member Making Report: CONLEY-BODIN,CAROL L Co.: B01 Date Printed: 03/21/2022 Incident No: 08028073 Exp:0 Version: V01

TRIAL EXHIBIT 73.F-2

339

Officer

Employee > Officer > Daily > Monthly >

PIO Briefing Search

Reset Search

Call Date: 04/18/2008 Use Watch: M38 Unit: Inc No: Rows: 50

Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address	Action
081090332	08033627	04/18/08 19:56	19C3	CHEST PAIN	1101 VAN NESS AV	Create
081090299	08033605	04/18/08 18:37	29D2	MVA-MAJOR	1201 CALIFORNIA ST	Create
081090195	08033541	04/18/08 13:57	ADM	ADMINISTRATIVE	ALEMANY NB BL/PUTNAM ST	Create
081090199	08033527	04/18/08 14:10	21D2	BLEED-UNCONS	674 COMMERCIAL ST	Create
081090200	08033525	04/18/08 14:11	SIB	SMOKEIN BUILDING	666 ELLIS ST	Create
081090197	08033524	04/18/08 14:08	SIB	SMOKEIN BUILDING	66 ELLIS ST	Create
081090118	08033457	04/18/08 10:35	9E1	RESUSCITATION	670 EDDY ST	Create
081090078	08033430	04/18/08 09:05	XM	CODE 3 MEDIC	2255 POST ST	Create
081090051	08033409	04/18/08 06:41	5A1	BCK PN NO TRAUMA	2750 GEARY BL	Create

1 - 9

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE					08033525	0	V01	03		District 22
38005	CA										
INCIDENT DATE	ALARM TIME	ARRIVAL TIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO			
04/18/2008	04/18/08 14:11	04/18/08 14:12	04/18/08 14:25	RS1	CHOY,ARNOLD M		None				
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS			
1 - Street address		666 Ellis St.				505	94102	1			
INCIDENT TYPE				ACTIONS TAKEN							
113 - Cooking fire, confined to container				11 - Extinguish							
RESOURCES			ESTIMATED LOSSES AND VALUES				CASUALTIES				
	APPARATUS	PERSONNEL	LOSSES	PROPERTY		DEATHS	INJURIES				
SUPPRESSION	9	34		CONTENTS	50	FIRE SERVICE	0	0			
EMS	0	0	VALUE	PROPERTY		CIVILIAN	0	0			
OTHER	0	0		CONTENTS	50						
MIXED USE PROPERTY		PROPERTY USE		DETECTOR			HAZARDOUS MATERIALS RELEASE				
		429 - Multifamily dwellings		1 - Detector alerted occupants							
2-FIRE											
PROPERTY DETAILS				ON-SITE MATERIALS				STORAGE USE			
# RESIDENTIAL UNITS		NOT RESIDENTIAL?		-							
# BUILDING INVOLVE	0	NO BLD INVOLVED?		-							
# ACRES BURNED	0	LESS THAN ONE?		-							
AREA OF ORIGIN		HEAT SOURCE		ITEM FIRST IGNITED		TYPE OF MATERIAL FIRST IGNITED					
00 - Other		10 - Heat from powered equipment, other		00 - Item First Ignited, Other		00 - Type of material first ignited, other					
CAUSE OF IGNITION			FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION				
2 - Unintentional			00 - Other factor contributed to ignition				3 - Unattended or unsupervised person				
AGE	0	IF EQUIPMENT		TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER		
SEX	-	INVOLVED IN IGNITION									
FIRE SUPPRESSION FACTORS			EQUIPMENT PORTABILITY		MOBILE PROPERTY TYPE			MOBILE PROPERTY MAKE			
			MOBILE PROPERTY INVOLVED		MODEL	YEAR	LICENSE PLATE NO	STATE	VIN		
3-STRUCTURE FIRE											
STRUCTURE TYPE		BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD	
FIRE DAMAGE		STORIES DAMAGED BY FLAME			NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE			
		MINOR	SIGNIF.	HEAVY	EXTR.						
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION		EFFECTIVENESS		FAILURE REASON			
AES PRESENCE		AES TYPE		AES OPERATION		AES FAILURE		#SPRINK. HEADS			
1S - NARRATIVE						CHOY,ARNOLD M		04/18/08 23:05			
burnt food in a pot.											

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: CHOY,ARNOLD M Co.: B02 Date Printed: 03/21/2022 Incident No: 08033525 Exp:0 Version: V01

TRIAL EXHIBIT 73.G-2

341

Officer

Employee v Officer v Daily v Monthly v

PIO Briefing Search

Reset Search

Call Date  Use Watch  Dt?  Unit  Inc No  Rows

Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address
081120383	08034577	04/21/08 20:47	31C4	SYNCOPE	1546 MARKET ST Create
081120324	08034534	04/21/08 17:42	17D1	FALL W/TRAUMA	TURK ST/WEBSTER ST Create
081120302	08034520	04/21/08 16:53	WF	WORKING FIRE	450 THE EMBARCADERO NOR Create
081120273	08034496	04/21/08 15:38	XR	CODE 2 ALS AMB	75 6TH ST Create
081120176	08034426	04/21/08 11:17	28C4U	STROKE-NUMBNS	2238 GEARY BL Create
081120121	08034389	04/21/08 09:38	31D1	UNCONSCIOUS	505 4TH AV Create
081120078	08034366	04/21/08 07:38	981	OBVIOUS DOA	132 COOK ST Create
081120077	08034365	04/21/08 07:27	26C1	EVAL-CARDIAC PT	2084 MISSION ST Create
081120061	08034353	04/21/08 06:24	26C1	EVAL-CARDIAC PT	1267 FILBERT ST Create
081120057	08034350	04/21/08 05:44	FIB	FIRE IN BUILDING	9TH ST/MISSION ST Create
081120039	08034336	04/21/08 03:45	4D2	TRAUMA: AMS	BEALE ST/HARRISON ST Create
081120031	08034329	04/21/08 03:24	SIB	SMOKEIN BUILDING	2729 LOMBARD ST Create

1 - 12



1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE					08034520	0	V01	13		District 01
38005	CA										
INCIDENT DATE	ALARM TIME	ARRIVALTIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO			
04/21/2008	04/21/08 16:53	04/21/08 16:58	04/21/08 17:46	E13	WOO,ARNOLD P		None				
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS			
1 - Street address		450 The Embarcadero Nor				-	94111	1			
INCIDENT TYPE		ACTIONS TAKEN									
160 - Special outside fire, other		11 - Extinguish				51 - Ventilate					
RESOURCES			ESTIMATED LOSSES AND VALUES			CASUALTIES					
	APPARATUS	PERSONNEL	LOSSES	PROPERTY		DEATHS	INJURIES				
SUPPRESSION	10	30		CONTENTS		0	0				
EMS	1	2	VALUE	PROPERTY		0	0				
OTHER	0	0		CONTENTS							
MIXED USE PROPERTY		PROPERTY USE		DETECTOR		HAZARDOUS MATERIALS RELEASE					
		898 - Dock, marina, pier, wharf									
2-FIRE											
PROPERTY DETAILS				ON-SITE MATERIALS			STORAGE USE				
# RESIDENTIAL UNITS		NOT RESIDENTIAL?	-	310 - Wood, other			N - None				
# BUILDING INVOLVE	0	NO BLD INVOLVED?	-								
# ACRES BURNED	0	LESS THAN ONE?	-								
AREA OF ORIGIN		HEAT SOURCE		ITEM FIRST IGNITED		TYPE OF MATERIAL FIRST IGNITED					
90 - Outside area, other		61 - Cigarette		44 - Chips, including wood chips		58 - Tobacco					
CAUSE OF IGNITION		FACTORS CONTRIBUTING IGNITION			HUMAN FACTORS FOR IGNITION						
2 - Unintentional		NN - None			3 - Unattended or unsupervised person						
AGE	0	IF EQUIPMENT INVOLVED IN IGNITION	TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER			
SEX	-										
FIRE SUPPRESSION FACTORS		EQUIPMENT PORTABILITY		MOBILE PROPERTY TYPE		MOBILE PROPERTY MAKE					
		MOBILE PROPERTY INVOLVED		MODEL	YEAR	LICENSE PLATE NO	STATE	VIN			
3-STRUCTURE FIRE											
STRUCTURE TYPE		BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD	
FIRE DAMAGE		STORIES DAMAGED BY FLAME			NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE			
		MINOR	SIGNIF.	HEAVY	EXTR.						
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION	EFFECTIVENESS		FAILURE REASON				
AES PRESENCE		AES TYPE	AES OPERATION		AES FAILURE		#SPRINK. HEADS				
1S - NARRATIVE											
						WOO,ARNOLD P	04/21/08 17:44				
Called for pier fire. Upon arrival first company reports fire on pier. Embarcadero command in service. Extinguished 2X2 section of pier and cut out. Special call port authority and was notified that they had sent repairmen.											

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.  
 Member Making Report: WOO,ARNOLD P Co.: B01 Date Printed: 03/21/2022 Incident No: 08034520 Exp:n Version: V01

TRIAL EXHIBIT 73.H-2

343

Officer

MU3162 Portal Change Password Help Feedback Logout SFFD Production

Employee > Officer > Daily > Monthly >

### PIO Briefing Search

Reset Search

Call Date: 04/24/2008  
 Use Watch: T16  
 Unit: T16  
 Inc No:   
 Rows: 50

### Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address
081150352	08035417	04/24/08 19:57	FIB	FIRE IN BUILDING	2701 VAN NESS AV Create
081150183	08035286	04/24/08 12:11	XM	CODE 3 MEDIC	3251 SCOTT ST Create
081150143	08035258	04/24/08 10:39	52C1S	BLDG ALRM	3500 FILLMORE ST Create
081150054	08035197	04/24/08 06:34	A1	BUILD ALARM BOX	3727 BUCHANAN ST Create

1 - 4

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE					08035417	0	V01	16		District 04
38005	CA										
INCIDENT DATE	ALARM TIME	ARRIVAL TIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER		MUTUAL AID	MULTI-AGENCY INC. NO			
04/24/2008	04/24/08 19:57	04/24/08 19:58	04/24/08 20:30	RS1	SIMS,ADRIENNE R		None				
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS			
1 - Street address		2701 Van Ness Av.				601	94118	1			
INCIDENT TYPE				ACTIONS TAKEN							
412 - Gas leak (natural gas or LPG)				86 - Investigate							
RESOURCES			ESTIMATED LOSSES AND VALUES			CASUALTIES					
	APPARATUS	PERSONNEL	LOSSES	PROPERTY		DEATHS	INJURIES				
SUPPRESSION	10	33		CONTENTS	500	FIRE SERVICE	0	0			
EMS	1	2	VALUE	PROPERTY		CIVILIAN	0	0			
OTHER	0	0		CONTENTS							
MIXED USE PROPERTY		PROPERTY USE			DETECTOR			HAZARDOUS MATERIALS RELEASE			
		429 - Multifamily dwellings									
2-FIRE											
PROPERTY DETAILS				ON-SITE MATERIALS				STORAGE USE			
# RESIDENTIAL UNITS	NOT RESIDENTIAL?										
# BUILDING INVOLVE	NO BLD INVOLVED?										
# ACRES BURNED	LESS THAN ONE?										
AREA OF ORIGIN		HEAT SOURCE		ITEM FIRST IGNITED		TYPE OF MATERIAL FIRST IGNITED					
CAUSE OF IGNITION		FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION					
AGE	IF EQUIPMENT INVOLVED IN IGNITION	TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER				
SEX											
FIRE SUPPRESSION FACTORS		EQUIPMENT PORTABILITY			MOBILE PROPERTY TYPE			MOBILE PROPERTY MAKE			
		MOBILE PROPERTY INVOLVED		MODEL	YEAR	LICENSE PLATE NO	STATE	VIN			
3-STRUCTURE FIRE											
STRUCTURE TYPE	BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD		
FIRE DAMAGE		STORIES DAMAGED BY FLAME			NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE			
		MINOR	SIGNIF.	HEAVY	EXTR.						
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION	EFFECTIVENESS			FAILURE REASON			
AES PRESENCE		AES TYPE	AES OPERATION		AES FAILURE			#SPRINK. HEADS			
1S - NARRATIVE											
										SIMS,ADRIENNE R	04/24/08 22:23
<p>Responded to a report of smoke in the building. Upon arrival, the alarm system was sounding and occupants of the building gave companies access to the building. Companies reported to the apartment where the fire was reported and the tenant gave access to the apartment. There was a small extinguished fire behind the stove. It was determined the a loose gas line was leaking gas and the pilot from the stove ignited a small fire behind the stove. The fire was extinguished by the occupant. The gas line was turned off and there were no additional hazards found. The alarm panel was reset and the building was secured by the occupants.</p>											

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: SIMS,ADRIENNE R

Co.: B01 Date Printed: 03/21/2022 Incident No: 08035417 Exp:0 Version: V01

TRIAL EXHIBIT 73.I-2

345

Officer

CU7573 Portal Change Password Help Feedback Logout

Employee | Officer | Daily | Monthly

PIO Briefing Search

Reset Search

Call Date	Use Watch Dt?	Unit	Inc No	Rows
04/25/2008	<input type="checkbox"/>	T16		50

Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address	
081160347	08035722	04/25/08 19:05	SIB	SMOKE IN BUILDING	2750 POLK ST	Create
081160239	08035636	04/25/08 14:30	52C3	COMMERC BLG ALRM	3659 BUCHANAN ST	Create
081160067	08035525	04/25/08 06:17	69D1	FIRE IN BLDG	2190 LOMBARD ST	Create

1 - 3

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT	
FDID	STATE					08035722	0	V01	16		District 01	
38005	CA											
INCIDENT DATE	ALARM TIME	ARRIVAL TIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER			MUTUAL AID	MULTI-AGENCY INC. NO			
04/25/2008	04/25/08 19:05	04/25/08 19:10	04/25/08 19:22	E16	AUSTIN, KATHY A			None				
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE	ALARMS				
1 - Street address		2750 Polk St.				-	94123	1				
INCIDENT TYPE				ACTIONS TAKEN								
113 - Cooking fire, confined to container				51 - Ventilate				86 - Investigate				
RESOURCES				ESTIMATED LOSSES AND VALUES				CASUALTIES				
	APPARATUS	PERSONNEL	LOSSES	PROPERTY			DEATHS	INJURIES				
SUPPRESSION	3	11		CONTENTS	50	FIRE SERVICE	0	0				
EMS	0	0	VALUE	PROPERTY		CIVILIAN	0	0				
OTHER	0	0		CONTENTS	50							
MIXED USE PROPERTY		PROPERTY USE			DETECTOR			HAZARDOUS MATERIALS RELEASE				
		429 - Multifamily dwellings			1 - Detector alerted occupants							
2-FIRE												
PROPERTY DETAILS				ON-SITE MATERIALS				STORAGE USE				
# RESIDENTIAL UNITS		NOT RESIDENTIAL?		-								
# BUILDING INVOLVED	0	NO BLD INVOLVED?		-								
# ACRES BURNED	0	LESS THAN ONE?		-								
AREA OF ORIGIN			HEAT SOURCE			ITEM FIRST IGNITED			TYPE OF MATERIAL FIRST IGNITED			
24 - Cooking area, kitchen			81 - Heat; direct flame or convection			76 - Cooking materials, inc. Edible materi						
CAUSE OF IGNITION			FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION					
2 - Unintentional			53 - Equipment unattended				3 - Unattended or unsupervised person					
AGE	IF EQUIPMENT	TYPE		MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER				
0												
SEX	INVOLVED IN IGNITION											
-												
FIRE SUPPRESSION FACTORS			EQUIPMENT PORTABILITY			MOBILE PROPERTY TYPE			MOBILE PROPERTY MAKE			
MOBILE PROPERTY INVOLVED			MODEL	YEAR	LICENSE PLATE NO	STATE	VIN					
3-STRUCTURE FIRE												
STRUCTURE TYPE		BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD		
FIRE DAMAGE		STORIES DAMAGED BY FLAME				NO SPREAD?	CONTRIB ITEM		CONTRIB TYPE			
		MINOR	SIGNIF.	HEAVY	EXTR.							
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION		EFFECTIVENESS			FAILURE REASON			
AES PRESENCE		AES TYPE		AES OPERATION		AES FAILURE			#SPRINK. HEADS			
1S - NARRATIVE												
										AUSTIN, KATHY A		04/25/08 00:56
Units responded to a report of smoke in bldg. Upon arrival units found smoke generated by burned food. Units opened windows to vent the apartment. Alarm unable to reset. Notice of Violation sticker posted. BFP will be notified.												

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: AUSTIN, KATHY A

Co.: B01 Date Printed: 03/14/2022 Incident No: 08035722 Exp:0 Version: V01

TRIAL EXHIBIT 73.J-2

347

Officer

CU7573 Portal Change Password Help Feedback Logout

Employee Officer Daily Monthly

PIO Briefing Search

Reset Search

<b>Call Date</b> 05/03/2008	<b>Use Watch Dt?</b>	<b>Unit</b> E42	<b>Inc No</b>	<b>Rows</b> 50
--------------------------------	----------------------	--------------------	---------------	-------------------

Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address	
081240229	08038084	05/03/08 14:02	XM	CODE 3 MEDIC	SILVER AV/SAN BRUNO AV	Create
081240204	08038066	05/03/08 13:09	1A1	ABDOMINAL PAIN	566 NEVADA ST	Create
081240182	<b>08038051</b>	05/03/08 12:28	FIB	FIRE IN BUILDING	EVANS AV/TOLAND ST	Create
081240037	08037940	05/03/08 01:57	XM	CODE 3 MEDIC	BAYSHORE BL/INDUSTRIAL ST	Create

1 - 4

1-BASIC		National Fire Incident Reporting System INCIDENT REPORT SAN FRANCISCO FIRE DEPARTMENT				INCIDENT NUMBER	EXP NO	VERSION	STATION	FD BOX	DISTRICT
FDID	STATE					08038051	0	V01	09		District 10
38005	CA										
INCIDENT DATE	ALARM TIME	ARRIVAL TIME	CLEAR TIME	FIRST UNIT	INCIDENT COMMANDER			MUTUAL AID	MULTI-AGENCY INC. NO.		
05/03/2008	05/03/08 12:28	05/03/08 12:33	05/03/08 12:44	E09	BOKURA,STEVEN M			None			
LOCATION TYPE		INCIDENT ADDRESS / LOCATION				APARTMENT	ZIP CODE		ALARMS		
1 - Street address		Evans Av. / Toland St.				-	94124		1		
INCIDENT TYPE				ACTIONS TAKEN							
700 - False alarm or false call, other				86 - Investigate							
RESOURCES				ESTIMATED LOSSES AND VALUES				CASUALTIES			
	APPARATUS	PERSONNEL	LOSSES	PROPERTY				DEATHS	INJURIES		
SUPPRESSION	8	25		CONTENTS				FIRE SERVICE	0		
EMS	0	0	VALUE	PROPERTY				CIVILIAN	0		
OTHER	0	0		CONTENTS							
MIXED USE PROPERTY		PROPERTY USE			DETECTOR			HAZARDOUS MATERIALS RELEASE			
		960 - Street, other									
2-FIRE											
PROPERTY DETAILS				ON-SITE MATERIALS				STORAGE USE			
# RESIDENTIAL UNITS	NOT RESIDENTIAL?										
# BUILDING INVOLVE	NO BLD INVOLVED?										
# ACRES BURNED	LESS THAN ONE?										
AREA OF ORIGIN		HEAT SOURCE		ITEM FIRST IGNITED			TYPE OF MATERIAL FIRST IGNITED				
CAUSE OF IGNITION				FACTORS CONTRIBUTING IGNITION				HUMAN FACTORS FOR IGNITION			
AGE	IF EQUIPMENT INVOLVED IN IGNITION		TYPE	MAKE	MODEL	SERIAL NO	YEAR	EQUIPMENT POWER			
SEX											
FIRE SUPPRESSION FACTORS			EQUIPMENT PORTABILITY			MOBILE PROPERTY TYPE			MOBILE PROPERTY MAKE		
			MOBILE PROPERTY INVOLVED			MODEL	YEAR	LICENSE PLATE NO	STATE	VIN	
3-STRUCTURE FIRE											
STRUCTURE TYPE		BUILDING STATUS		STORIES ABOVE	STORIES BELOW	TOTAL SQ FT	LENGTH	WIDTH	ORGIN	BELOW GRAD	
FIRE DAMAGE		STORIES DAMAGED BY FLAME			NO SPREAD?	CONTRIB ITEM			CONTRIB TYPE		
		MINOR	SIGNIF.	HEAVY	EXTR.						
DETECTOR PRESENCE		TYPE	POWER SUPPLY	OPERATION	EFFECTIVENESS			FAILURE REASON			
AES PRESENCE		AES TYPE	AES OPERATION		AES FAILURE			#SPRINK. HEADS			
1S - NARRATIVE											
								BOKURA,STEVEN M		05/17/08 16:37	
Responded to Evans St. and Toland St. on a report of a building on fire. Upon arrival found that call was for vehicle fire three blocks away. Cancelled the box.											

Disclaimer: Entries contained in this report are intended for the sole use of the State Fire Marshal. Estimations and evaluations made herein represent "most likely" and "most probable" cause and effect. Any representation as to the validity or accuracy of reported conditions outside the State Fire Marshal's office is neither intended nor implied.

Member Making Report: BOKURA,STEVEN M

Co.: E09 Date Printed: 03/14/2022 Incident No: 08038051 Exp:0 Version: V01

TRIAL EXHIBIT 73.K-2

349

Officer

Employee > Officer > Daily > Monthly >

### PIO Briefing Search

Reset Search

Call Date: 05/10/2008    Use Watch:     Unit: T16    Inc No:     Rows: 50

### Incidents

Call No	Inc No	Rx DtTm	Call Type	Call Descr	Address
081310320	08040230	05/10/08 20:05	52C1	BLDG ALRM	3336 LAGUNA ST
081310277	08040189	05/10/08 17:21	E	DISPATCH ENGINE	1 ALCATRAZ ISLAND
081310046	08040026	05/10/08 03:26	52C3	COMMERC BLG ALRM	99 YACHT RD
081310015	08039999	05/10/08 01:02	T	DISPATCH TRUCK	1229 CHESTNUT ST

1 - 4